CHINA SPECIALTY TIRE EXPORT · 2026 CATALOG

Complete Wholesale Tire Specification Catalog

Motorcycle · Scooter · ATV / UTV · Golf Cart · Lawn & Garden · Trailer

350	945	347	100
PRODUCT RECORDS	SPECIFICATION LINES	CATALOG SIZES	MOQ / MODEL

STANDARD MOQ	OEM MOQ	LEAD TIME	LOADING
100 tires per individual model	300 tires per individual model	About 30 days after specification confirmation	Flexible mixed-SKU plan calculated from the final buy list

CATALOG CONTENTS

PRODUCT FAMILY	MODELS	SPECIFICATION LINES
Street & commuter motorcycle	34	49
Scooter	71	159
Electric & tricycle	51	91
Off-road motorcycle	66	180
Racing motorcycle	10	30
Retro motorcycle	4	16
ATV / UTV & sand	75	307
Golf cart	20	61
Lawn & garden	8	15
Trailer & utility	11	37

All listed models are available for quotation. Final construction, markings, certification applicability, packing, loading quantity and shipment date are confirmed in the written quotation for the exact SKU mix.

PRODUCT FAMILY 01

Street & commuter motorcycle

34 available product models · 49 specification lines. Search the online catalog by code or size at excelindustryltd.com/products/.

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FY300	FY300	**3.00-17**	—	—	—	—	—	—	—	—	45 / L	—
FY300	FY300	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—
FY303	FY303	**3.00-17**	—	—	—	—	—	—	—	—	45 / L	—
FY304	FY304	**110/80-17**	—	—	—	—	—	—	—	—	57 / P	—
FY305	FY305	**110/80-17**	—	—	—	—	—	—	—	—	57 / P	—
FY308	FY308	**3.00-17**	—	—	—	—	—	—	—	—	45 / L	—
FY308	FY308	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—
FY309	FY309	**60/100-17**	—	—	—	—	—	—	—	—	30 / J	—
FY310	FY310	**70/90-17**	—	—	—	—	—	—	—	—	38 / J	—
FY311	FY311	**90/90-17**	—	—	—	—	—	—	—	—	54 / P	—
FY312	FY312	**90/90-17**	—	—	—	—	—	—	—	—	54 / P	—
FY313	FY313	**2.75-17**	—	—	—	—	—	—	—	—	41 / J	—
FY313	FY313	**90/90-17**	—	—	—	—	—	—	—	—	54 / P	—
FY313	FY313	**2.75-18**	—	—	—	—	—	—	—	—	41 / J	—
FY313	FY313	**100/90-19**	—	—	—	—	—	—	—	—	61 / P	—
FY313	FY313	**110/90-19**	—	—	—	—	—	—	—	—	62 / P	—
FY314	FY314	**100/80-17**	—	—	—	—	—	—	—	—	52 / P	—
FY316	FY316	**130/70-17**	—	—	—	—	—	—	—	—	62 / H	—
FY321	FY321	**3.25-18**	—	—	—	—	—	—	—	—	52 / L	—
FY321	FY321	**3.50-18**	—	—	—	—	—	—	—	—	51 / L	—
FY323	FY323	**2.75-18**	—	—	—	—	—	—	—	—	41 / J	—
FY323	FY323	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—
FY323	FY323	**90/90-18**	—	—	—	—	—	—	—	—	56 / P	—
FY325	FY325	**2.75-18**	—	—	—	—	—	—	—	—	41 / J	—
FY326	FY326	**2.75-18**	—	—	—	—	—	—	—	—	41 / J	—
FY327	FY327	**2.75-18**	—	—	—	—	—	—	—	—	41 / J	—
FY328	FY328	**2.75-18**	—	—	—	—	—	—	—	—	41 / J	—
FY329	FY329	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—
FY330	FY330	**3.00-17**	—	—	—	—	—	—	—	—	45 / L	—
FY330	FY330	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—
FY343	FY343	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—
FY343	FY343	**3.25-18**	—	—	—	—	—	—	—	—	52 / L	—
FY343	FY343	**90/90-18**	—	—	—	—	—	—	—	—	56 / P	—
FY344	FY344	**3.25-18**	—	—	—	—	—	—	—	—	52 / L	—

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FY345	FY345	**3.50-18**	—	—	—	—	—	—	—	—	51 / L	—
FY349	FY349	**90/90-18**	—	—	—	—	—	—	—	—	56 / P	—
FY350	FY350	**90/90-18**	—	—	—	—	—	—	—	—	56 / P	—
FY350	FY350	**100/90-18**	—	—	—	—	—	—	—	—	56 / P	—
FY351	FY351	**90/90-18**	—	—	—	—	—	—	—	—	56 / P	—
FY352	FY352	**90/90-18**	—	—	—	—	—	—	—	—	56 / P	—
FY353	FY353	**90/90-18**	—	—	—	—	—	—	—	—	56 / P	—
FY354	FY354	**100/90-18**	—	—	—	—	—	—	—	—	56 / P	—
FY356	FY356	**110/90-18**	—	—	—	—	—	—	—	—	61 / P	—
FY361	FY361	**130/80-18**	—	—	—	—	—	—	—	—	68 / S	—
FY361	FY361	**140/70-18**	—	—	—	—	—	—	—	—	67 / H	—
FY362	FY362	**130/90-18**	—	—	—	—	—	—	—	—	69 / S	—
FY363	FY363	**3.00-19**	—	—	—	—	—	—	—	—	45 / L	—
FY363	FY363	**90/90-19**	—	—	—	—	—	—	—	—	57 / M	—
FY367	FY367	**130/80-17**	—	—	—	—	—	—	—	—	65 / H	—

PRODUCT FAMILY 02

Scooter

71 available product models · 159 specification lines. Search the online catalog by code or size at excelindustryltd.com/products/.

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FY09	FY09	**90/90-10**	—	—	—	—	—	—	—	—	50 / J	—
FY11	FY11	**3.00-10**	—	—	—	—	—	—	—	—	42 / J	—
FY11	FY11	**3.50-10**	—	—	—	—	—	—	—	—	46 / J	—
FY11	FY11	**90/90-10**	—	—	—	—	—	—	—	—	50 / J	—
FY11	FY11	**100/80-10**	—	—	—	—	—	—	—	—	53 / J	—
FY11	FY11	**120/70-10**	—	—	—	—	—	—	—	—	54 / L	—
FY12	FY12	**90/90-12**	—	—	—	—	—	—	—	—	54 / J	—
FY25	FY25	**100/80-10**	—	—	—	—	—	—	—	—	53 / J	—
FY25	FY25	**110/90-10**	—	—	—	—	—	—	—	—	60 / P	—
FY28	FY28	**130/60-10**	—	—	—	—	—	—	—	—	59 / L	—
FY29	FY29	**90/90-10**	—	—	—	—	—	—	—	—	50 / J	—
FY29	FY29	**120/70-10**	—	—	—	—	—	—	—	—	54 / L	—
FY29	FY29	**120/90-10**	—	—	—	—	—	—	—	—	66 / P	—
FY29	FY29	**130/60-10**	—	—	—	—	—	—	—	—	59 / L	—
FY29	FY29	**130/90-10**	—	—	—	—	—	—	—	—	70 / P	—
FY29	FY29	**130/70-12**	—	—	—	—	—	—	—	—	56 / L	—

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FY29	FY29	**130/60-13**	—	—	—	—	—	—	—	—	53 / L	—
FY29	FY29	**130/70-13**	—	—	—	—	—	—	—	—	57 / L	—
FY31	FY31	**100/60-12**	—	—	—	—	—	—	—	—	48 / L	—
FY32	FY32	**130/70-12**	—	—	—	—	—	—	—	—	56 / L	—
FY33	FY33	**130/70-12**	—	—	—	—	—	—	—	—	56 / L	—
FY37	FY37	**120/70-12**	—	—	—	—	—	—	—	—	51 / L	—
FY37	FY37	**130/70-12**	—	—	—	—	—	—	—	—	56 / L	—
FY65	FY65	**120/70-12**	—	—	—	—	—	—	—	—	51 / L	—
FY65	FY65	**130/70-12**	—	—	—	—	—	—	—	—	56 / L	—
FY68	FY68	**120/80-14**	—	—	—	—	—	—	—	—	58 / L	—
FY68	FY68	**160/60-14**	—	—	—	—	—	—	—	—	65 / M	—
FY76	FY76	**130/60-10**	—	—	—	—	—	—	—	—	59 / L	—
FY76	FY76	**120/70-12**	—	—	—	—	—	—	—	—	51 / L	—
FY76	FY76	**130/70-12**	—	—	—	—	—	—	—	—	56 / L	—
FY78	FY78	**125/65-12**	—	—	—	—	—	—	—	—	51 / L	—
FY79	FY79	**120/70-13**	—	—	—	—	—	—	—	—	53 / L	—
FY79	FY79	**130/70-13**	—	—	—	—	—	—	—	—	57 / L	—
FY93	FY93	**70/90-14**	—	—	—	—	—	—	—	—	38 / J	—
FY93	FY93	**80/90-14**	—	—	—	—	—	—	—	—	46 / J	—
FY95	FY95	**110/70-16**	—	—	—	—	—	—	—	—	52 / L	—
FY95	FY95	**140/70-16**	—	—	—	—	—	—	—	—	65 / M	—
FY95	FY95	**110/60-17**	—	—	—	—	—	—	—	—	48 / P	—
FY96	FY96	**90/90-12**	—	—	—	—	—	—	—	—	54 / J	—
FY100	FY100	**130/60-10**	—	—	—	—	—	—	—	—	59 / L	—
FY100	FY100	**110/70-12**	—	—	—	—	—	—	—	—	47 / L	—
FY100	FY100	**120/70-12**	—	—	—	—	—	—	—	—	51 / L	—
FY100	FY100	**130/70-12**	—	—	—	—	—	—	—	—	56 / L	—
FY105	FY105	**80/80-14**	—	—	—	—	—	—	—	—	43 / J	—
FY105	FY105	**120/80-16**	—	—	—	—	—	—	—	—	60 / L	—
FY105	FY105	**140/70-16**	—	—	—	—	—	—	—	—	65 / M	—
FY106	FY106	**70/90-14**	—	—	—	—	—	—	—	—	38 / J	—
FY119	FY119	**130/60-13**	—	—	—	—	—	—	—	—	53 / L	—
FY120	FY120	**120/70-12**	—	—	—	—	—	—	—	—	51 / L	—
FY120	FY120	**130/70-12**	—	—	—	—	—	—	—	—	56 / L	—
FY120	FY120	**130/60-13**	—	—	—	—	—	—	—	—	53 / L	—
FY126	FY126	**120/80-12**	—	—	—	—	—	—	—	—	55 / L	—
FY136	FY136	**140/60-13**	—	—	—	—	—	—	—	—	57 / L	—
FY138	FY138	**130/60-13**	—	—	—	—	—	—	—	—	53 / L	—

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FY140	FY140	**90/80-11**	—	—	—	—	—	—	—	—	48 / J	—
FY140	FY140	**130/60-12**	—	—	—	—	—	—	—	—	56 / L	—
FY148	FY148	**110/70-11**	—	—	—	—	—	—	—	—	48 / L	—
FY151	FY151	**3.50-8**	—	—	—	—	—	—	—	—	46 / J	—
FY151	FY151	**3.00-12**	—	—	—	—	—	—	—	—	47 / J	—
FY160	FY160	**3.50-10**	—	—	—	—	—	—	—	—	46 / J	—
FY160	FY160	**100/80-10**	—	—	—	—	—	—	—	—	53 / J	—
FY161	FY161	**3.50-10**	—	—	—	—	—	—	—	—	46 / J	—
FY162	FY162	**3.50-10**	—	—	—	—	—	—	—	—	46 / J	—
FY162	FY162	**80/90-10**	—	—	—	—	—	—	—	—	46 / J	—
FY162	FY162	**90/90-10**	—	—	—	—	—	—	—	—	50 / J	—
FY162	FY162	**100/80-10**	—	—	—	—	—	—	—	—	53 / J	—
FY166	FY166	**3.50-10**	—	—	—	—	—	—	—	—	46 / J	—
FY166	FY166	**90/90-10**	—	—	—	—	—	—	—	—	50 / J	—
FY166	FY166	**100/80-10**	—	—	—	—	—	—	—	—	53 / J	—
FY167	FY167	**110/70-12**	—	—	—	—	—	—	—	—	47 / L	—
FY167	FY167	**3.50-10**	—	—	—	—	—	—	—	—	46 / J	—
FY167	FY167	**90/90-10**	—	—	—	—	—	—	—	—	50 / J	—
FY167	FY167	**100/80-10**	—	—	—	—	—	—	—	—	53 / J	—
FY171	FY171	**90/90-10**	—	—	—	—	—	—	—	—	50 / J	—
FY175	FY175	**100/80-10**	—	—	—	—	—	—	—	—	53 / J	—
FY176	FY176	**120/90-10**	—	—	—	—	—	—	—	—	66 / P	—
FY176	FY176	**130/90-10**	—	—	—	—	—	—	—	—	70 / P	—
FY177	FY177	**130/90-10**	—	—	—	—	—	—	—	—	70 / P	—
FY186	FY186	**90/90-12**	—	—	—	—	—	—	—	—	54 / J	—
FY186	FY186	**100/90-12**	—	—	—	—	—	—	—	—	59 / J	—
FY187	FY187	**100/60-12**	—	—	—	—	—	—	—	—	48 / L	—
FY187	FY187	**100/70-12**	—	—	—	—	—	—	—	—	49 / L	—
FY188	FY188	**120/70-12**	—	—	—	—	—	—	—	—	51 / L	—
FY189	FY189	**120/70-12**	—	—	—	—	—	—	—	—	51 / L	—
FY189	FY189	**130/60-13**	—	—	—	—	—	—	—	—	53 / L	—
FY190	FY190	**90/80-15**	—	—	—	—	—	—	—	—	49 / J	—
FY190	FY190	**90/90-15**	—	—	—	—	—	—	—	—	52 / J	—
FY190	FY190	**100/90-15**	—	—	—	—	—	—	—	—	57 / J	—
FY191	FY191	**130/90-15**	—	—	—	—	—	—	—	—	66 / P	—
FY195	FY195	**130/70-12**	—	—	—	—	—	—	—	—	56 / L	—
FY195	FY195	**130/60-13**	—	—	—	—	—	—	—	—	53 / L	—
FY196	FY196	**130/70-12**	—	—	—	—	—	—	—	—	56 / L	—

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FY196	FY196	**140/60-12**	—	—	—	—	—	—	—	—	59 / L	—
FY196	FY196	**130/70-13**	—	—	—	—	—	—	—	—	57 / L	—
FY196	FY196	**150/70-13**	—	—	—	—	—	—	—	—	64 / L	—
FY199	FY199	**130/60-13**	—	—	—	—	—	—	—	—	53 / L	—
FY200	FY200	**130/60-13**	—	—	—	—	—	—	—	—	53 / L	—
FY206	FY206	**70/80-14**	—	—	—	—	—	—	—	—	35 / J	—
FY206	FY206	**70/90-14**	—	—	—	—	—	—	—	—	38 / J	—
FY206	FY206	**80/80-14**	—	—	—	—	—	—	—	—	43 / J	—
FY206	FY206	**80/90-14**	—	—	—	—	—	—	—	—	46 / J	—
FY206	FY206	**90/80-14**	—	—	—	—	—	—	—	—	49 / J	—
FY206	FY206	**60/80-17**	—	—	—	—	—	—	—	—	27 / J	—
FY206	FY206	**70/80-17**	—	—	—	—	—	—	—	—	35 / J	—
FY206	FY206	**80/80-17**	—	—	—	—	—	—	—	—	43 / J	—
FY206	FY206	**80/90-17**	—	—	—	—	—	—	—	—	46 / J	—
FY206	FY206	**90/80-17**	—	—	—	—	—	—	—	—	49 / P	—
FY207	FY207	**80/90-14**	—	—	—	—	—	—	—	—	46 / J	—
FY207	FY207	**90/80-14**	—	—	—	—	—	—	—	—	49 / J	—
FY207	FY207	**90/90-14**	—	—	—	—	—	—	—	—	52 / J	—
FY207	FY207	**100/70-14**	—	—	—	—	—	—	—	—	48 / L	—
FY207	FY207	**100/80-14**	—	—	—	—	—	—	—	—	48 / L	—
FY207	FY207	**100/90-14**	—	—	—	—	—	—	—	—	57 / J	—
FY208	FY208	**90/90-14**	—	—	—	—	—	—	—	—	52 / J	—
FY211	FY211	**160/60-14**	—	—	—	—	—	—	—	—	65 / M	—
FY231	FY231	**3.50-16**	—	—	—	—	—	—	—	—	54 / J	—
FY231	FY231	**100/90-16**	—	—	—	—	—	—	—	—	54 / L	—
FY231	FY231	**110/90-16**	—	—	—	—	—	—	—	—	59 / L	—
FY231	FY231	**120/90-16**	—	—	—	—	—	—	—	—	63 / L	—
FY232	FY232	**3.50-16**	—	—	—	—	—	—	—	—	54 / J	—
FY232	FY232	**100/90-16**	—	—	—	—	—	—	—	—	54 / L	—
FY232	FY232	**110/90-16**	—	—	—	—	—	—	—	—	59 / L	—
FY232	FY232	**120/90-16**	—	—	—	—	—	—	—	—	63 / L	—
FY237	FY237	**100/90-16**	—	—	—	—	—	—	—	—	54 / L	—
FY237	FY237	**110/90-16**	—	—	—	—	—	—	—	—	59 / L	—
FY238	FY238	**110/70-16**	—	—	—	—	—	—	—	—	52 / L	—
FY239	FY239	**110/90-16**	—	—	—	—	—	—	—	—	59 / L	—
FY241	FY241	**110/90-16**	—	—	—	—	—	—	—	—	59 / L	—
FY241	FY241	**130/90-16**	—	—	—	—	—	—	—	—	67 / L	—
FY241	FY241	**100/90-17**	—	—	—	—	—	—	—	—	55 / P	—

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FY242	FY242	**110/90-16**	—	—	—	—	—	—	—	—	59 / L	—
FY243	FY243	**110/90-16**	—	—	—	—	—	—	—	—	59 / L	—
FY244	FY244	**110/90-16**	—	—	—	—	—	—	—	—	59 / L	—
FY246	FY246	**110/90-16**	—	—	—	—	—	—	—	—	59 / L	—
FY246	FY246	**120/70-16**	—	—	—	—	—	—	—	—	57 / L	—
FY246	FY246	**120/80-16**	—	—	—	—	—	—	—	—	60 / L	—
FY246	FY246	**120/90-16**	—	—	—	—	—	—	—	—	63 / L	—
FY247	FY247	**110/90-16**	—	—	—	—	—	—	—	—	59 / L	—
FY248	FY248	**110/90-16**	—	—	—	—	—	—	—	—	59 / L	—
FY248	FY248	**120/90-16**	—	—	—	—	—	—	—	—	63 / L	—
FY249	FY249	**110/90-16**	—	—	—	—	—	—	—	—	59 / L	—
FY249	FY249	**120/90-16**	—	—	—	—	—	—	—	—	63 / L	—
FY262	FY262	**110/70-14**	—	—	—	—	—	—	—	—	52 / L	—
FY262	FY262	**110/80-14**	—	—	—	—	—	—	—	—	56 / L	—
FY262	FY262	**120/70-14**	—	—	—	—	—	—	—	—	55 / L	—
FY262	FY262	**150/70-17**	—	—	—	—	—	—	—	—	69 / V	—
FY262	FY262	**150/80-17**	—	—	—	—	—	—	—	—	72 / V	—
FY262	FY262	**160/60-17**	—	—	—	—	—	—	—	—	69 / V	—
FY262	FY262	**160/70-17**	—	—	—	—	—	—	—	—	73 / V	—
FY262	FY262	**160/80-17**	—	—	—	—	—	—	—	—	75 / P	—
FY265	FY265	**2.50-17**	—	—	—	—	—	—	—	—	39 / J	—
FY265	FY265	**2.50-18**	—	—	—	—	—	—	—	—	39 / J	—
FY265	FY265	**2.75-18**	—	—	—	—	—	—	—	—	41 / J	—
FY307	FY307	**70/100-17**	—	—	—	—	—	—	—	—	40 / J	—
FY318	FY318	**140/70-14**	—	—	—	—	—	—	—	—	62 / M	—
FY374	FY374	**90/90-12**	—	—	—	—	—	—	—	—	54 / J	—
FY375	FY375	**120/70-12**	—	—	—	—	—	—	—	—	51 / L	—
FY375	FY375	**130/70-12**	—	—	—	—	—	—	—	—	56 / L	—
FY375	FY375	**130/60-13**	—	—	—	—	—	—	—	—	53 / L	—

PRODUCT FAMILY 03

Electric & tricycle

51 available product models · 91 specification lines. Search the online catalog by code or size at excelindustryltd.com/products/.

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FY04	FY04	**3.00-10**	—	—	—	—	—	—	—	—	42 / J	—
FY04	FY04	**3.50-10**	—	—	—	—	—	—	—	—	46 / J	—

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FY04	FY04	**3.50-12**	—	—	—	—	—	—	—	—	51 / J	—
FY05	FY05	**2.50-14**	—	—	—	—	—	—	—	—	39 / J	—
FY06	FY06	**3.00-12**	—	—	—	—	—	—	—	—	47 / J	—
FY06	FY06	**80/90-12**	—	—	—	—	—	—	—	—	44 / J	—
FY07	FY07	**3.00-10**	—	—	—	—	—	—	—	—	42 / J	—
FY07	FY07	**3.50-10**	—	—	—	—	—	—	—	—	46 / J	—
FY08	FY08	**3.75-12**	—	—	—	—	—	—	—	—	55 / J	—
FY10	FY10	**4.00-8**	—	—	—	—	—	—	—	—	50 / J	—
FY15	FY15	**2.75-10**	—	—	—	—	—	—	—	—	38 / J	—
FY15	FY15	**3.00-10**	—	—	—	—	—	—	—	—	42 / J	—
FY15	FY15	**4.50-10**	—	—	—	—	—	—	—	—	55 / J	—
FY21	FY21	**3.50-10**	—	—	—	—	—	—	—	—	46 / J	—
FY22	FY22	**3.00-8**	—	—	—	—	—	—	—	—	42 / J	—
FY22	FY22	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—
FY24	FY24	**110/80-8**	—	—	—	—	—	—	—	—	58 / J	—
FY24	FY24	**130/60-8**	—	—	—	—	—	—	—	—	54 / J	—
FY24	FY24	**100/80-10**	—	—	—	—	—	—	—	—	53 / J	—
FY34	FY34	**3.50-10**	—	—	—	—	—	—	—	—	46 / J	—
FY59	FY59	**4.00-12**	—	—	—	—	—	—	—	—	59 / J	—
FY59	FY59	**4.50-12**	—	—	—	—	—	—	—	—	64 / J	—
FY59	FY59	**5.00-12**	—	—	—	—	—	—	—	—	70 / J	—
FY64	FY64	**4.00-12**	—	—	—	—	—	—	—	—	59 / J	—
FY64	FY64	**5.50-13**	—	—	—	—	—	—	—	—	70 / J	—
FY64	FY64	**6.00-13**	—	—	—	—	—	—	—	—	76 / J	—
FY66	FY66	**3.25-16**	—	—	—	—	—	—	—	—	50 / J	—
FY74	FY74	**4.00-10**	—	—	—	—	—	—	—	—	50 / J	—
FY77	FY77	**4.50-10**	—	—	—	—	—	—	—	—	55 / J	—
FY89	FY89	**80/80-11**	—	—	—	—	—	—	—	—	42 / J	—
FY97	FY97	**3.75-12**	—	—	—	—	—	—	—	—	55 / J	—
FY101	FY101	**4.00-10**	—	—	—	—	—	—	—	—	50 / J	—
FY101	FY101	**4.50-10**	—	—	—	—	—	—	—	—	55 / J	—
FY103	FY103	**3.50-10**	—	—	—	—	—	—	—	—	46 / J	—
FY104	FY104	**4.00-8**	—	—	—	—	—	—	—	—	50 / J	—
FY130	FY130	**100/90-8**	—	—	—	—	—	—	—	—	56 / J	—
FY139	FY139	**5.00-12**	—	—	—	—	—	—	—	—	70 / J	—
FY145	FY145	**2.75-14**	—	—	—	—	—	—	—	—	41 / J	—
FY152	FY152	**4.00-8**	—	—	—	—	—	—	—	—	50 / J	—
FY153	FY153	**4.00-8**	—	—	—	—	—	—	—	—	50 / J	—

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FY154	FY154	**4.00-8**	—	—	—	—	—	—	—	—	50 / J	—
FY156	FY156	**4.00-8**	—	—	—	—	—	—	—	—	50 / J	—
FY157	FY157	**3.75-12**	—	—	—	—	—	—	—	—	55 / J	—
FY158	FY158	**4.00-8**	—	—	—	—	—	—	—	—	50 / J	—
FY158	FY158	**2.75-10**	—	—	—	—	—	—	—	—	38 / J	—
FY158	FY158	**5.00-12**	—	—	—	—	—	—	—	—	70 / J	—
FY158	FY158	**2.75-10**	—	—	—	—	—	—	—	—	38 / J	—
FY163	FY163	**3.50-10**	—	—	—	—	—	—	—	—	46 / J	—
FY164	FY164	**3.50-10**	—	—	—	—	—	—	—	—	46 / J	—
FY165	FY165	**3.50-10**	—	—	—	—	—	—	—	—	46 / J	—
FY168	FY168	**3.50-10**	—	—	—	—	—	—	—	—	46 / J	—
FY168	FY168	**90/90-10**	—	—	—	—	—	—	—	—	50 / J	—
FY169	FY169	**3.50-10**	—	—	—	—	—	—	—	—	46 / J	—
FY178	FY178	**4.50-12**	—	—	—	—	—	—	—	—	64 / J	—
FY178	FY178	**5.00-12**	—	—	—	—	—	—	—	—	70 / J	—
FY179	FY179	**4.00-8**	—	—	—	—	—	—	—	—	50 / J	—
FY179	FY179	**4.00-12**	—	—	—	—	—	—	—	—	59 / J	—
FY180	FY180	**4.00-12**	—	—	—	—	—	—	—	—	59 / J	—
FY181	FY181	**4.50-12**	—	—	—	—	—	—	—	—	64 / J	—
FY181	FY181	**4.80-12**	—	—	—	—	—	—	—	—	68 / J	—
FY181	FY181	**5.00-12**	—	—	—	—	—	—	—	—	70 / J	—
FY182	FY182	**4.00-12**	—	—	—	—	—	—	—	—	59 / J	—
FY182	FY182	**4.50-12**	—	—	—	—	—	—	—	—	64 / J	—
FY183	FY183	**4.50-12**	—	—	—	—	—	—	—	—	64 / J	—
FY183	FY183	**5.00-12**	—	—	—	—	—	—	—	—	70 / J	—
FY184	FY184	**5.00-12**	—	—	—	—	—	—	—	—	70 / J	—
FY185	FY185	**5.00-12**	—	—	—	—	—	—	—	—	70 / J	—
FY193	FY193	**5.00-15**	—	—	—	—	—	—	—	—	70 / J	—
FY193	FY193	**4.50/4.75-16**	—	—	—	—	—	—	—	—	68 / J	—
FY193	FY193	**5.00/5.25-16**	—	—	—	—	—	—	—	—	74 / J	—
FY193	FY193	**6.00-16**	—	—	—	—	—	—	—	—	80 / J	—
FY193	FY193	**4.00-17**	—	—	—	—	—	—	—	—	57 / M	—
FY193	FY193	**4.25-17**	—	—	—	—	—	—	—	—	62 / M	—
FY193	FY193	**4.50-17**	—	—	—	—	—	—	—	—	65 / M	—
FY193	FY193	**3.25-18**	—	—	—	—	—	—	—	—	52 / L	—
FY205	FY205	**2.75-14**	—	—	—	—	—	—	—	—	41 / J	—
FY233	FY233	**3.50-16**	—	—	—	—	—	—	—	—	54 / J	—
FY365	FY365	**500/180-250**	—	—	—	—	—	—	—	—	70 / N	—

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FY370	FY370	**16x2.50**	—	—	—	—	—	—	—	—	38 / J	—
FY370	FY370	**16x2.125**	—	—	—	—	—	—	—	—	36 / J	—
FY370	FY370	**16x3.0**	—	—	—	—	—	—	—	—	45 / J	—
FY370	FY370	**18x2.5**	—	—	—	—	—	—	—	—	42 / J	—
FY371	FY371	**14x2.125**	—	—	—	—	—	—	—	—	34 / J	—
FY371	FY371	**16x2.50**	—	—	—	—	—	—	—	—	38 / J	—
FY371	FY371	**16x2.125**	—	—	—	—	—	—	—	—	36 / J	—
FY371	FY371	**16x3.0**	—	—	—	—	—	—	—	—	45 / J	—
FY372	FY372	**14x2.125**	—	—	—	—	—	—	—	—	34 / J	—
FY372	FY372	**16x2.50**	—	—	—	—	—	—	—	—	38 / J	—
FY372	FY372	**16x2.125**	—	—	—	—	—	—	—	—	36 / J	—
FY372	FY372	**16x3.0**	—	—	—	—	—	—	—	—	45 / J	—
FY373	FY373	**4.00-8**	—	—	—	—	—	—	—	—	50 / J	—

PRODUCT FAMILY 04

Off-road motorcycle

66 available product models · 180 specification lines. Search the online catalog by code or size at excelindustryltd.com/products/.

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FY38	FY38	**3.00-10**	—	—	—	—	—	—	—	—	42 / J	—
FY38	FY38	**3.50-10**	—	—	—	—	—	—	—	—	46 / J	—
FY38	FY38	**80/90-16**	—	—	—	—	—	—	—	—	46 / J	—
FY38	FY38	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—
FY39	FY39	**110/90-16**	—	—	—	—	—	—	—	—	59 / L	—
FY39	FY39	**3.25-18**	—	—	—	—	—	—	—	—	52 / L	—
FY39	FY39	**3.50-18**	—	—	—	—	—	—	—	—	51 / L	—
FY40	FY40 3.50-16 TIRE	**3.50-16**	—	—	—	—	—	—	—	—	54 / J	—
FY41	FY41	**2.75-18**	—	—	—	—	—	—	—	—	41 / J	—
FY41	FY41	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—
FY41	FY41	**3.25-18**	—	—	—	—	—	—	—	—	52 / L	—
FY42	FY42	**2.75-17**	—	—	—	—	—	—	—	—	41 / J	—
FY42	FY42	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—
FY42	FY42	**3.25-18**	—	—	—	—	—	—	—	—	52 / L	—
FY44	FY44	**120/80-12**	—	—	—	—	—	—	—	—	55 / L	—
FY44	FY44	**110/90-16**	—	—	—	—	—	—	—	—	59 / L	—
FY44	FY44 110/90-13 110/90-16 TIRE	**120/80-12**	—	—	—	—	—	—	—	—	55 / L	—
FY44	FY44 110/90-13 110/90-16 TIRE	**110/90-16**	—	—	—	—	—	—	—	—	59 / L	—

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FY48	FY48 2.75-10 3.00-10 3.50-10 120/90-10 130/90-10 90/90-12 120/70-12 130/70-12 14X2.5 16X2.5 TIRE	**3.00-17**	—	—	—	—	—	—	—	—	—	—
FY48	FY48 2.75-10 3.00-10 3.50-10 120/90-10 130/90-10 90/90-12 120/70-12 130/70-12 14X2.5 16X2.5 TIRE	**3.00-18**	—	—	—	—	—	—	—	—	—	—
FY48	FY48 2.75-10 3.00-10 3.50-10 120/90-10 130/90-10 90/90-12 120/70-12 130/70-12 14X2.5 16X2.5 TIRE	**2.75-10**	—	—	—	—	—	—	—	—	—	—
FY48	FY48 2.75-10 3.00-10 3.50-10 120/90-10 130/90-10 90/90-12 120/70-12 130/70-12 14X2.5 16X2.5 TIRE	**3.00-10**	—	—	—	—	—	—	—	—	—	—
FY48	FY48 2.75-10 3.00-10 3.50-10 120/90-10 130/90-10 90/90-12 120/70-12 130/70-12 14X2.5 16X2.5 TIRE	**3.50-10**	—	—	—	—	—	—	—	—	—	—
FY48	FY48 2.75-10 3.00-10 3.50-10 120/90-10 130/90-10 90/90-12 120/70-12 130/70-12 14X2.5 16X2.5 TIRE	**120/90-10**	—	—	—	—	—	—	—	—	—	—
FY48	FY48 2.75-10 3.00-10 3.50-10 120/90-10 130/90-10 90/90-12 120/70-12 130/70-12 14X2.5 16X2.5 TIRE	**130/90-10**	—	—	—	—	—	—	—	—	—	—
FY48	FY48 2.75-10 3.00-10 3.50-10 120/90-10 130/90-10 90/90-12 120/70-12 130/70-12 14X2.5 16X2.5 TIRE	**90/90-12**	—	—	—	—	—	—	—	—	—	—
FY48	FY48 2.75-10 3.00-10 3.50-10 120/90-10 130/90-10 90/90-12 120/70-12 130/70-12 14X2.5 16X2.5 TIRE	**120/70-12**	—	—	—	—	—	—	—	—	—	—
FY48	FY48 2.75-10 3.00-10 3.50-10 120/90-10 130/90-10 90/90-12 120/70-12 130/70-12 14X2.5 16X2.5 TIRE	**130/70-12**	—	—	—	—	—	—	—	—	—	—
FY48	FY48 2.75-10 3.00-10 3.50-10 120/90-10 130/90-10 90/90-12 120/70-12 130/70-12 14X2.5 16X2.5 TIRE	**14X2.5**	—	—	—	—	—	—	—	—	—	—
FY48	FY48 2.75-10 3.00-10 3.50-10 120/90-10 130/90-10 90/90-12 120/70-12 130/70-12 14X2.5 16X2.5 TIRE	**16X2.5**	—	—	—	—	—	—	—	—	—	—
FY49	FY49 130/70-17 TIRE	**130/70-17**	—	—	—	—	—	—	—	—	62 / H	—
FY50	FY50	**2.75-14**	—	—	—	—	—	—	—	—	41 / J	—
FY50	FY50	**110/80-17**	—	—	—	—	—	—	—	—	57 / P	—
FY51	FY51	**3.50-17**	—	—	—	—	—	—	—	—	49 / L	—
FY51	FY51	**3.25-18**	—	—	—	—	—	—	—	—	52 / L	—
FY51	FY51	**4.10-18**	—	—	—	—	—	—	—	—	60 / M	—
FY51	FY51	**110/100-18**	—	—	—	—	—	—	—	—	64 / P	—
FY51	FY51	**3.00-21**	—	—	—	—	—	—	—	—	47 / L	—
FY54	FY54	**2.75-17**	—	—	—	—	—	—	—	—	41 / J	—
FY57	FY57 3.00-18 TIRE	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—
FY58	FY58 3.00-18 TIRE	**3.00-18**	—	—	—	—	—	—	—	—	—	—
FY61	FY61	**3.50-16**	—	—	—	—	—	—	—	—	54 / J	—
FY61	FY61	**110/90-16**	—	—	—	—	—	—	—	—	59 / L	—
FY61	FY61	**90/90-18**	—	—	—	—	—	—	—	—	56 / P	—
FY70	FY70	**4.50-12**	—	—	—	—	—	—	—	—	64 / J	—
FY70	FY70	**5.00-12**	—	—	—	—	—	—	—	—	70 / J	—
FY70	FY70	**5.50-13**	—	—	—	—	—	—	—	—	70 / J	—
FY75	FY75	**4.00-10**	—	—	—	—	—	—	—	—	50 / J	—
FY86	FY86	**3.50-18**	—	—	—	—	—	—	—	—	51 / L	—
FY92	FY92	**4.00-10**	—	—	—	—	—	—	—	—	50 / J	—

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FY92	FY92	**4.00-12**	—	—	—	—	—	—	—	—	59 / J	—
FY92	FY92	**80/90-17**	—	—	—	—	—	—	—	—	46 / J	—
FY111	FY111 4.10-18 TIRE	**4.10-18**	—	—	—	—	—	—	—	—	60 / M	—
FY128	FY128	**2.75-17**	—	—	—	—	—	—	—	—	41 / J	—
FY128	FY128	**3.00-17**	—	—	—	—	—	—	—	—	45 / L	—
FY174	FY174	**90/90-10**	—	—	—	—	—	—	—	—	50 / J	—
FY197	FY197	**2.75-17**	—	—	—	—	—	—	—	—	41 / J	—
FY197	FY197	**3.00-17**	—	—	—	—	—	—	—	—	45 / L	—
FY197	FY197	**2.75-18**	—	—	—	—	—	—	—	—	41 / J	—
FY197	FY197	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—
FY197	FY197	**3.25-18**	—	—	—	—	—	—	—	—	52 / L	—
FY202	FY202	**80/90-19**	—	—	—	—	—	—	—	—	48 / M	—
FY202	FY202	**80/100-19**	—	—	—	—	—	—	—	—	54 / M	—
FY202	FY202	**2.75-21**	—	—	—	—	—	—	—	—	45 / L	—
FY202	FY202	**3.00-21**	—	—	—	—	—	—	—	—	47 / L	—
FY202	FY202	**80/100-21**	—	—	—	—	—	—	—	—	51 / M	—
FY202	FY202	**90/90-21**	—	—	—	—	—	—	—	—	54 / M	—
FY202	FY202	**90/100-21**	—	—	—	—	—	—	—	—	57 / P	—
FY204	FY204	**2.50-14**	—	—	—	—	—	—	—	—	39 / J	—
FY204	FY204	**2.75-14**	—	—	—	—	—	—	—	—	41 / J	—
FY204	FY204	**3.00-14**	—	—	—	—	—	—	—	—	45 / J	—
FY209	FY209	**3.00-17**	—	—	—	—	—	—	—	—	45 / L	—
FY209	FY209	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—
FY209	FY209	**110/100-18**	—	—	—	—	—	—	—	—	64 / P	—
FY209	FY209	**120/90-18**	—	—	—	—	—	—	—	—	65 / S	—
FY209	FY209	**120/100-18**	—	—	—	—	—	—	—	—	68 / S	—
FY213	FY213	**3.00-17**	—	—	—	—	—	—	—	—	45 / L	—
FY213	FY213	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—
FY214	FY214	**110/90-16**	—	—	—	—	—	—	—	—	59 / L	—
FY214	FY214	**3.00-17**	—	—	—	—	—	—	—	—	45 / L	—
FY214	FY214	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—
FY215	FY215	**3.00-17**	—	—	—	—	—	—	—	—	45 / L	—
FY215	FY215	**2.50-18**	—	—	—	—	—	—	—	—	39 / J	—
FY216	FY216	**3.50-17**	—	—	—	—	—	—	—	—	49 / L	—
FY216	FY216	**4.00-17**	—	—	—	—	—	—	—	—	57 / M	—
FY216	FY216	**4.10-17**	—	—	—	—	—	—	—	—	59 / M	—
FY216	FY216	**4.60-17**	—	—	—	—	—	—	—	—	67 / M	—
FY216	FY216	**100/90-17**	—	—	—	—	—	—	—	—	55 / P	—

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FY216	FY216	**110/90-17**	—	—	—	—	—	—	—	—	60 / P	—
FY217	FY217	**3.00-21**	—	—	—	—	—	—	—	—	47 / L	—
FY217	FY217	**90/90-21**	—	—	—	—	—	—	—	—	54 / M	—
FY217	FY217	**90/100-21**	—	—	—	—	—	—	—	—	57 / P	—
FY218	FY218	**80/100-12**	—	—	—	—	—	—	—	—	47 / J	—
FY218	FY218	**60/100-14**	—	—	—	—	—	—	—	—	30 / J	—
FY218	FY218	**90/100-14**	—	—	—	—	—	—	—	—	55 / J	—
FY220	FY220	**4.60-17**	—	—	—	—	—	—	—	—	67 / M	—
FY220	FY220	**130/70-17**	—	—	—	—	—	—	—	—	62 / H	—
FY220	FY220	**140/60-17**	—	—	—	—	—	—	—	—	63 / H	—
FY221	FY221	**140/80-18**	—	—	—	—	—	—	—	—	70 / H	—
FY222	FY222	**70/100-19**	—	—	—	—	—	—	—	—	42 / M	—
FY223	FY223	**90/100-16**	—	—	—	—	—	—	—	—	51 / J	—
FY223	FY223	**100/90-19**	—	—	—	—	—	—	—	—	61 / P	—
FY223	FY223	**110/90-19**	—	—	—	—	—	—	—	—	62 / P	—
FY224	FY224	**110/100-18**	—	—	—	—	—	—	—	—	64 / P	—
FY224	FY224	**110/90-19**	—	—	—	—	—	—	—	—	62 / P	—
FY224	FY224	**110/100-19**	—	—	—	—	—	—	—	—	68 / P	—
FY225	FY225	**110/90-19**	—	—	—	—	—	—	—	—	62 / P	—
FY226	FY226	**4.60-17**	—	—	—	—	—	—	—	—	67 / M	—
FY226	FY226	**4.10-18**	—	—	—	—	—	—	—	—	60 / M	—
FY226	FY226	**4.60-18**	—	—	—	—	—	—	—	—	70 / M	—
FY226	FY226	**100/90-18**	—	—	—	—	—	—	—	—	56 / P	—
FY226	FY226	**120/90-18**	—	—	—	—	—	—	—	—	65 / S	—
FY227	FY227	**100/90-16**	—	—	—	—	—	—	—	—	54 / L	—
FY227	FY227	**3.00-17**	—	—	—	—	—	—	—	—	45 / L	—
FY227	FY227	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—
FY227	FY227	**4.10-18**	—	—	—	—	—	—	—	—	60 / M	—
FY245	FY245	**110/90-16**	—	—	—	—	—	—	—	—	59 / L	—
FY258	FY258	**2.50-17**	—	—	—	—	—	—	—	—	39 / J	—
FY258	FY258	**2.75-17**	—	—	—	—	—	—	—	—	41 / J	—
FY258	FY258	**3.00-17**	—	—	—	—	—	—	—	—	45 / L	—
FY258	FY258	**2.75-18**	—	—	—	—	—	—	—	—	41 / J	—
FY258	FY258	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—
FY259	FY259	**2.50-17**	—	—	—	—	—	—	—	—	39 / J	—
FY259	FY259	**2.75-17**	—	—	—	—	—	—	—	—	41 / J	—
FY259	FY259	**2.75-18**	—	—	—	—	—	—	—	—	41 / J	—
FY259	FY259	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FY285	FY285	**3.00-17**	—	—	—	—	—	—	—	—	45 / L	—
FY285	FY285	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—
FY285	FY285	**90/90-18**	—	—	—	—	—	—	—	—	56 / P	—
FY285	FY285	**90/90-19**	—	—	—	—	—	—	—	—	57 / M	—
FY288	FY288	**3.00-17**	—	—	—	—	—	—	—	—	45 / L	—
FY288	FY288	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—
FY322	FY322	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—
FY324	FY324	**2.75-18**	—	—	—	—	—	—	—	—	41 / J	—
FY324	FY324	**80/90-19**	—	—	—	—	—	—	—	—	48 / M	—
FY324	FY324	**80/100-19**	—	—	—	—	—	—	—	—	54 / M	—
FY324	FY324	**90/90-19**	—	—	—	—	—	—	—	—	57 / M	—
FY324	FY324	**90/90-21**	—	—	—	—	—	—	—	—	54 / M	—
FY331	FY331	**140/80-18**	—	—	—	—	—	—	—	—	70 / H	—
FY332	FY332	**140/80-18**	—	—	—	—	—	—	—	—	70 / H	—
FY333	FY333	**140/80-18**	—	—	—	—	—	—	—	—	70 / H	—
FY335	FY335	**100/90-19**	—	—	—	—	—	—	—	—	61 / P	—
FY335	FY335	**110/90-19**	—	—	—	—	—	—	—	—	62 / P	—
FY336	FY336	**110/100-18**	—	—	—	—	—	—	—	—	64 / P	—
FY336	FY336	**120/90-18**	—	—	—	—	—	—	—	—	65 / S	—
FY336	FY336	**120/100-18**	—	—	—	—	—	—	—	—	68 / S	—
FY336	FY336	**110/90-19**	—	—	—	—	—	—	—	—	62 / P	—
FY337	FY337	**80/100-19**	—	—	—	—	—	—	—	—	54 / M	—
FY337	FY337	**80/100-21**	—	—	—	—	—	—	—	—	51 / M	—
FY338	FY338	**60/100-12**	—	—	—	—	—	—	—	—	30 / J	—
FY338	FY338	**80/100-12**	—	—	—	—	—	—	—	—	47 / J	—
FY338	FY338	**60/100-14**	—	—	—	—	—	—	—	—	30 / J	—
FY338	FY338	**70/100-17**	—	—	—	—	—	—	—	—	40 / J	—
FY339	FY339	**3.00-18**	—	—	—	—	—	—	—	—	47 / L	—
FY347	FY347	**4.10-18**	—	—	—	—	—	—	—	—	60 / M	—
FY347	FY347	**4.60-18**	—	—	—	—	—	—	—	—	70 / M	—
FY347	FY347	**110/90-18**	—	—	—	—	—	—	—	—	61 / P	—
FY347	FY347	**2.75-21**	—	—	—	—	—	—	—	—	45 / L	—
FY347	FY347	**80/100-21**	—	—	—	—	—	—	—	—	51 / M	—
FY347	FY347	**90/100-21**	—	—	—	—	—	—	—	—	57 / P	—
FY348	FY348	**4.10-18**	—	—	—	—	—	—	—	—	60 / M	—
FY355	FY355	**100/90-18**	—	—	—	—	—	—	—	—	56 / P	—
FY355	FY355	**110/100-18**	—	—	—	—	—	—	—	—	64 / P	—
FY355	FY355	**120/100-18**	—	—	—	—	—	—	—	—	68 / S	—

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FY357	FY357	**110/90-18**	—	—	—	—	—	—	—	—	61 / P	—
FY358	FY358	**110/100-18**	—	—	—	—	—	—	—	—	64 / P	—
FY358	FY358	**120/90-18**	—	—	—	—	—	—	—	—	65 / S	—
FY358	FY358	**120/90-18**	—	—	—	—	—	—	—	—	65 / S	—
FY358	FY358	**120/100-18**	—	—	—	—	—	—	—	—	68 / S	—
FY359	FY359	**110/100-18**	—	—	—	—	—	—	—	—	64 / P	—
FY359	FY359	**120/100-18**	—	—	—	—	—	—	—	—	68 / S	—
FY360	FY360	**110/100-18**	—	—	—	—	—	—	—	—	64 / P	—
FY360	FY360	**120/90-18**	—	—	—	—	—	—	—	—	65 / S	—
FY360	FY360	**120/100-18**	—	—	—	—	—	—	—	—	68 / S	—
FY366	FY366	**2.75-21**	—	—	—	—	—	—	—	—	45 / L	—
FY368	FY368	**90/90-21**	—	—	—	—	—	—	—	—	54 / M	—
FY369	FY369	**80/100-21**	—	—	—	—	—	—	—	—	51 / M	—
FY369	FY369	**90/90-21**	—	—	—	—	—	—	—	—	54 / M	—
FY369	FY369	**90/100-21**	—	—	—	—	—	—	—	—	57 / P	—
FY376	FY376	**3.00-16**	—	—	—	—	—	—	—	—	45 / J	—

PRODUCT FAMILY 05

Racing motorcycle

10 available product models · 30 specification lines. Search the online catalog by code or size at excelindustryltd.com/products/.

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FY69	FY69	**130/70-17**	—	—	—	—	—	—	—	—	62 / H	—
FY80	FY80	**120/70-14**	—	—	—	—	—	—	—	—	55 / L	—
FY80	FY80	**120/90-16**	—	—	—	—	—	—	—	—	63 / L	—
FY80	FY80	**110/70-17**	—	—	—	—	—	—	—	—	54 / P	—
FY80	FY80	**120/90-18**	—	—	—	—	—	—	—	—	65 / S	—
FY91	FY91	**140/70-17**	—	—	—	—	—	—	—	—	66 / H	—
FY91	FY91	**150/70-17**	—	—	—	—	—	—	—	—	69 / V	—
FY109	FY109	**70/90-17**	—	—	—	—	—	—	—	—	38 / J	—
FY109	FY109	**80/90-17**	—	—	—	—	—	—	—	—	46 / J	—
FY109	FY109	**110/60-17**	—	—	—	—	—	—	—	—	48 / P	—
FY109	FY109	**140/60-17**	—	—	—	—	—	—	—	—	63 / H	—
FY109	FY109	**150/60-17**	—	—	—	—	—	—	—	—	66 / V	—
FY135	FY135	**140/70-13**	—	—	—	—	—	—	—	—	61 / L	—
FY135	FY135	**160/70-14**	—	—	—	—	—	—	—	—	69 / M	—
FY135	FY135	**160/60-15**	—	—	—	—	—	—	—	—	67 / S	—

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FY135	FY135	**110/70-17**	—	—	—	—	—	—	—	—	54 / P	—
FY135	FY135	**140/70-17**	—	—	—	—	—	—	—	—	66 / H	—
FY135	FY135	**150/70-17**	—	—	—	—	—	—	—	—	69 / V	—
FY135	FY135	**160/55-17**	—	—	—	—	—	—	—	—	69 / V	—
FY135	FY135	**180/55-17**	—	—	—	—	—	—	—	—	75 / W	—
FY297	FY297	**140/70-17**	—	—	—	—	—	—	—	—	66 / H	—
FY306	FY306	**110/70-17**	—	—	—	—	—	—	—	—	54 / P	—
FY317	FY317	**140/60-17**	—	—	—	—	—	—	—	—	63 / H	—
FY317	FY317	**140/70-17**	—	—	—	—	—	—	—	—	66 / H	—
FY319	FY319	**180/50-17**	—	—	—	—	—	—	—	—	73 / W	—
FY319	FY319	**180/55-17**	—	—	—	—	—	—	—	—	75 / W	—
FY320	FY320	**190/50-17**	—	—	—	—	—	—	—	—	73 / W	—
FY320	FY320	**190/55-17**	—	—	—	—	—	—	—	—	77 / W	—
FY320	FY320	**200/50-17**	—	—	—	—	—	—	—	—	75 / W	—
FY320	FY320	**200/55-17**	—	—	—	—	—	—	—	—	80 / W	—

PRODUCT FAMILY 06

Retro motorcycle

4 available product models · 16 specification lines. Search the online catalog by code or size at excelindustryltd.com/products/.

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FY301	FY301	**4.00-17**	—	—	—	—	—	—	—	—	57 / M	—
FY302	FY302	**180/80-14**	—	—	—	—	—	—	—	—	78 / M	—
FY302	FY302	**5.00-15**	—	—	—	—	—	—	—	—	70 / J	—
FY302	FY302	**170/80-15**	—	—	—	—	—	—	—	—	77 / S	—
FY302	FY302	**5.00/5.25-16**	—	—	—	—	—	—	—	—	74 / J	—
FY302	FY302	**4.50-17**	—	—	—	—	—	—	—	—	65 / M	—
FY302	FY302	**5.00-17**	—	—	—	—	—	—	—	—	70 / M	—
FY302	FY302	**3.50-18**	—	—	—	—	—	—	—	—	51 / L	—
FY302	FY302	**4.00-18**	—	—	—	—	—	—	—	—	57 / M	—
FY302	FY302	**4.50-18**	—	—	—	—	—	—	—	—	69 / M	—
FY302	FY302	**3.25-19**	—	—	—	—	—	—	—	—	52 / L	—
FY302	FY302	**3.75-19**	—	—	—	—	—	—	—	—	52 / L	—
FY302	FY302	**4.00-19**	—	—	—	—	—	—	—	—	57 / L	—
FY302	FY302	**4.50-19**	—	—	—	—	—	—	—	—	69 / L	—
FY346	FY346	**3.60-18**	—	—	—	—	—	—	—	—	58 / L	—
FY364	FY364	**3.00-20**	—	—	—	—	—	—	—	—	47 / L	—

PRODUCT FAMILY 07

ATV / UTV & sand

75 available product models · 307 specification lines. Search the online catalog by code or size at excelindustryltd.com/products/.

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FR01	China FR01 Quad Paddle Tires 6.75-15	**6.75-15**	6	DOT	TL	6	721	210	—	—	—	320
FR02	FR02 Utv Paddle Tires	**13x5.00-6**	2	DOT	TL	3.5	314	117	20	295	—	3000
FR02	FR02 Utv Paddle Tires	**15x6.00-6**	2	DOT	TL	4	354	150	14	365	—	1850
FR02	FR02 Utv Paddle Tires	**15x6.00-6**	6	DOT	TL	4	354	151	40	710	—	1820
FR02	FR02 Utv Paddle Tires	**16x6.5-8**	6	DOT	TL	5.5	415	168	42	785	—	1200
FR02	FR02 Utv Paddle Tires	**18x9.5-8**	4	DOT	TL	7	472	220	24	1040	—	710
FR02	FR02 Utv Paddle Tires	**6.70-15**	4	DOT	TL	5	705	185	32	1270	—	380
FR03	FR03 quad sand tires from china	**21X8-10**	4	DOT	TL	5.5	530	180	7	240	—	690
FR03	FR03 quad sand tires from china	**25X8-12**	2	DOT	TL	6.5	630	210	5	280	—	410
FR04	FR04 FRIENDWAY UTV SAND TIRES	**19X9.5-8**	4	DOT	TL	7.0 8.0	480	223	5	240	—	680
FR05	FR05 Paddle Tires	**13-15**	6	DOT	TL	13	750	390	—	—	—	160
FR05	FR05 Paddle Tires	**26X12-12**	6	DOT	TL	6	708	275	18	510	—	250
FR06	FR06 atv sand tires	**22X10-10**	4	DOT	TL	8	558	245	7	352	—	460
FR06	FR06 atv sand tires	**25X10-12**	4	DOT	TL	6	616	232	14	423	—	390
FR21	FR21 atv mud tires for sale from china	**4.10-4**	4	DOT	TL	3	275	86	50	350	—	4920
FR21	FR21 atv mud tires for sale from china	**4.10-6**	2	DOT	TL	3.25	322	95	24	290	—	3250
FR21	FR21 atv mud tires for sale from china	**13*5.00-6**	2	DOT	TL	3.3	317	122	20	295	—	2620
FR21	FR21 atv mud tires for sale from china	**145/70-6**	2	DOT	TL	4	358	138	14	143	—	1810
FR21	FR21 atv mud tires for sale from china	**145/70-6**	4	DOT	TL	3.5	358	138	14	143	—	1810
FR21	FR21 atv mud tires for sale from china	**15*5.0-7**	2	DOT	TL	4.5	380	127	20	320	—	1750
FR21	FR21 atv mud tires for sale from china	**15*6.5-7**	2	DOT	TL	4.5	380	165	20	375	—	1350
FR21	FR21 atv mud tires for sale from china	**18*9.5-8**	4	DOT	TL	8	457	215	14	254	—	720
FR21A	FR21A Knobby Sport Tires	**15X5-6**	4	—	TL	4.5	381	127	24	160	—	—
FR21A	FR21A Knobby Sport Tires	**19X7-8**	4	—	TL	5.5	483	178	24	220	—	—
FR21A	FR21A Knobby Sport Tires	**21X7-10**	4	—	TL	5.5	533	178	35	205	—	—
FR21B	FR21B quad mud tires	**19*7-8**	4	DOT E4	TL	5.5	482	168	14	143	—	890
FR21C	FR21C Race Quad Tires	**21*7-10**	4	DOT	TL	5.5	535	180	14	311	—	670
FR21D	FR21D Sport Quad Tires	**4.1-6**	2	—	TL	3.25	320	104	20	/	—	—
FR21D	FR21D Sport Quad Tires	**13X5-6**	2	—	TL	3.5	330	127	20	/	—	—
FR21D	FR21D Sport Quad Tires	**15X6-6**	4	—	TL	4.5	381	152	24	160	—	—
FR21D	FR21D Sport Quad Tires	**18X9.5-8**	4	—	TL	7	457	241	24	253	—	—
FR21D	FR21D Sport Quad Tires	**20X10-10**	4	—	TL	19	508	254	5	280	—	—
FR21D	FR21D Sport Quad Tires	**20X11-10**	4	—	TL	9	508	279	32	280	—	—

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FR21E	FR21E 18x9.50-8 All Terrain Tire	**18X9.5-8**	4	—	TL	7	457	241	24	253	—	—
FR22	FR22 Four Wheeler Street Tires	**13*4.10-6**	4	DOT	TL	3.25	330	104	25	410	—	3000
FR22	FR22 Four Wheeler Street Tires	**16*6.5-8**	4	DOT	TL	5.5	420	158	28	620	—	1200
FR23	FR23 China SPORT ATV TIRES	**145/70-6**	2	DOT	TL	4	350	140	24	165	—	2000
FR23	FR23 China SPORT ATV TIRES	**19X7-8**	4	DOT E4	TL	5.5	482	168	14	143	—	890
FR23B	FR23B Atv Front Tires	**20*11-9**	4	DOT E4	TL	8	522	260	14	457	—	490
FR23B	FR23B Atv Front Tires	**20*11-9**	6	DOT	TL	8	522	260	22	555	—	490
FR24	FR24 Utv Tyres	**22*7(8)-10**	4	DOT E4	TL	5.5	560	170	14	254	—	650
FR25	FR25 Atv Racing Tires	**145/70-6**	2	DOT	TL	4	350	140	24	165	—	2000
FR25	FR25 Atv Racing Tires	**19X7-8**	4	DOT E4	TL	5.5	482	168	14	143	—	890
FR34	FR34 Atv Tractor Tires	**26X9-12**	6	DOT	TL	6	660	225	7	410	—	350
FR34	FR34 Atv Tractor Tires	**26X10-12**	4	DOT	TL	8	660	240	7	440	—	330
FR34	FR34 Atv Tractor Tires	**27X8-14**	6	DOT E4	TL	6.0 6.5	686	186	30	1320	—	400
FR34	FR34 Atv Tractor Tires	**27X11-14**	6	DOT E4	TL	8.0 9.0	680	258	30	1760	—	290
FR35	FR35 quad bike tyres for sale	**22X10-9**	4	DOT	TL	8	558	242	14	355	—	460
FR36	FR36 Three Wheeler Tires	**22X10-10**	4	DOT E4	TL	8	554	230	14	353	—	490
FR36A	FR36A Front Atv Tires	**21X7-10**	4	—	TL	5.5	533	178	36	254	—	—
FR36A	FR36A Front Atv Tires	**22X7-10**	4	—	TL	5.5	559	178	36	254	—	—
FR36B	FR36B Quad Bike Tires from china	**21X7-10**	4	DOT E4	TL	5.5	529	178	14	311	—	700
FR36B	FR36B Quad Bike Tires from china	**21X8-10**	4	DOT	TL	5.5	529	178	14	311	—	700
FR36C	FR36C Knobby Tire	**145/70-6**	4	—	TL	4.5	350	145	36	/	—	—
FR36C	FR36C Knobby Tire	**19X7-8**	4	—	TL	5.5	483	178	20	/	—	—
FR37	FR37 Friendway Aggressive Atv Tires	**19X7-8**	4	DOT E4	TL	5.5	482	168	14	143	—	890
FR37	FR37 Friendway Aggressive Atv Tires	**20X7-8**	4	DOT E4	TL	5.5	508	177	14	377	—	750
FR37	FR37 Friendway Aggressive Atv Tires	**23X7-10**	4	DOT E4	TL	5.5	580	170	14	276	—	600
FR37	FR37 Friendway Aggressive Atv Tires	**22X10-10**	4	DOT E4	TL	8	555	229	14	471	—	490
FR37A	FR37A 22X11-10 TIRE	**22X11-10**	4	—	TL	8	559	279	36	353	—	—
FR37B	FR37B Sport Atv Tires	**18X6.5-8**	4	DOT	TL	5.5	457	169	28	770	—	990
FR37B	FR37B Sport Atv Tires	**22X9-10**	4	DOT	TL	8	555	230	14	355	—	490
FR37B	FR37B Sport Atv Tires	**22X11-10**	4	DOT	TL	8	558	257	14	385	—	430
FR38	FR38 Atv Mud Tires	**22X12-8**	6	DOT E4	TL	7.0 8.0	600	255	14	494	—	380
FR38	FR38 Atv Mud Tires	**25X10-12**	4	DOT E4	TL	8	635	235	14	423	—	360
FR38	FR38 Atv Mud Tires	**25X10-12**	6	DOT	TL	8	635	235	30.8	1760	—	360
FR39	FR39 sand paddle tires for atv	**3.50-5**	4	DOT	TT	3	302	82	40	140	—	4650
FR39	FR39 sand paddle tires for atv	**13X5.00-6**	2	DOT	TL	3.5	318	118	20	295	—	2900
FR39	FR39 sand paddle tires for atv	**4.00-7**	4	DOT	TL	3	405	110	18	205	—	1900
FR39	FR39 sand paddle tires for atv	**18X9.0-8**	2	DOT	TL	7	420	208	28	940	—	950
FR39	FR39 sand paddle tires for atv	**20X10.00-8**	4	DOT	TL	8	508	250	22	1190	—	540

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FR39	FR39 sand paddle tires for atv	**24X10-10**	4	DOT	TL	8	609	240	60	849	—	390
FR39	FR39 sand paddle tires for atv	**23X10.5-12**	2	DOT	TL	8.5	580	260	10	890	—	400
FR39	FR39 sand paddle tires for atv	**120/90-26**	6	DOT	TT	4JA2	940	125	43	1160	—	310
FR40	FR40 All Terrain Utv Tires	**22X11-10**	4	DOT	TL	8	558	238	14	385	—	470
FR40	FR40 All Terrain Utv Tires	**22X11-10**	6	DOT	TL	8	558	238	14	385	—	470
FR40A	FR40A Atv Road Tires	**20X10-10**	4	DOT	TL	7	508	235	12	815	—	570
FR40A	FR40A Atv Road Tires	**22X11-10**	4	DOT	TL	8	558	254	12	1026	—	440
FR40A	FR40A Atv Road Tires	**23X10.5-12**	4	DOT	TL	7	584	250	12	977	—	410
FR40A	FR40A Atv Road Tires	**23X10.5-14**	4	DOT	TL	7.0 8.0	590	230	12	909	—	430
FR40C	FR40C Quad Tires	**22x11-8**	4	DOT	TL	7	570	242	22	900	—	440
FR40C	FR40C Quad Tires	**20x10-10**	4	DOT	TL	7.0 8.0	506	237	22	815	—	570
FR40C	FR40C Quad Tires	**22X11-10**	4	DOT	TL	8	558	260	22	860	—	430
FR40C	FR40C Quad Tires	**22X10.5-12**	4	DOT	TL	7.0 8.0	572	234	22	835	—	460
FR40C	FR40C Quad Tires	**23X10.5-12**	4	DOT	TL	7	595	240	20	835	—	400
FR40C	FR40C Quad Tires	**22X10-14**	4	DOT	TL	8	560	216	22	815	—	510
FR40D	China FR40D quad bike tyres	**20X10-10**	4	DOT	TL	7.0 8.0	508	237	12	815	—	570
FR40D	China FR40D quad bike tyres	**22X11-10**	4	DOT	TL	7	560	240	14	1026	—	460
FR40D	China FR40D quad bike tyres	**23X10.5-12**	4	DOT	TL	7	573	241	12	977	—	440
FR40D	China FR40D quad bike tyres	**23X10-14**	4	DOT	TL	7	600	225	12	909	—	430
FR41A	FR41A STREET ATV TIRE	**13X5-6**	4	—	TL	3.3	330	127	28	460	—	—
FR41A	FR41A STREET ATV TIRE	**16X8-7(200/55-7■**	2	—	TL	5.5	406	203	24	275	—	—
FR41A	FR41A STREET ATV TIRE	**18X9.5-8**	4	—	TL	6.5	457	241	24	227	—	—
FR41A	FR41A STREET ATV TIRE	**19X7-8**	4	—	TL	5	483	178	24	176	—	—
FR41A	FR41A STREET ATV TIRE	**20X7-8**	4	—	TL	—	508	178	/	/	—	—
FR41A	FR41A STREET ATV TIRE	**20X10-10**	4	—	TL	8	508	254	24	353	—	—
FR41A	FR41A STREET ATV TIRE	**21X7-10**	4	—	TL	5.5	533	178	24	220	—	—
FR41A	FR41A STREET ATV TIRE	**22X7-10**	4	—	TL	5.5	589	178	36	254	—	—
FR41A	FR41A STREET ATV TIRE	**22X10-10**	4	—	TL	9	559	254	21	936	—	—
FR41A	FR41A STREET ATV TIRE	**25X8-12**	6	—	TL	8	635	203	36	/	—	—
FR41A	FR41A STREET ATV TIRE	**25X10-12**	6	—	TL	8	635	254	36	420	—	—
FR42	FR42 Quad Bike tyres for sale	**22X10-10**	4	DOT E4	TL	8	558	248	14	353	—	450
FR42	FR42 Quad Bike tyres for sale	**23X8.5-12**	6	DOT	TL	7	578	210	22	1120	—	500
FR42D	FR42D Juggernaut Atv Tires	**215/40-12**	4	DOT	TL	6.0 7.0	478	194	12	364	—	780
FR42D	FR42D Juggernaut Atv Tires	**205/30-14**	4	DOT	TL	7	502	198	12	335	—	700
FR42E	Friendway FR42E Quad tires for sale	**22X10-10**	4	DOT	TL	8	558	245	14	468	—	460
FR42E	Friendway FR42E Quad tires for sale	**22X10-12**	4	DOT	TL	7	558	230	12	785	—	480
FR42E	Friendway FR42E Quad tires for sale	**22X10-14**	4	DOT	TL	7	560	229	12	815	—	480
FR43	FR43 utv tires and wheels	**25X8-12**	4	DOT E4	TL	6.5	630	202	14	344	—	430

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FR43	FR43 utv tires and wheels	**25X8-12**	6	DOT E4	TL	7	630	202	30.8	1640	—	430
FR43	FR43 utv tires and wheels	**25X10-12**	4	DOT E4	TL	8	635	232	14	423	—	370
FR43	FR43 utv tires and wheels	**25X10-12**	6	DOT E4	TL	8	635	232	30.8	1760	—	370
FR43	FR43 utv tires and wheels	**25X11-12**	4	DOT E4	TL	7.0 8.0	635	235	14	455	—	370
FR43	FR43 utv tires and wheels	**26X10-12**	4	DOT	TL	8	655	235	14	455	—	340
FR43	FR43 utv tires and wheels	**27X8-12**	6	DOT E4	TL	6.5	671	205	20	1080	—	370
FR43	FR43 utv tires and wheels	**27X11-12**	6	DOT E4	TL	7.0 8.0	670	275	20	1320	—	280
FR43A	FR43A Atv Mud tires	**25X8-12**	6	DOT	TL	7	635	200	7	340	—	430
FR43A	FR43A Atv Mud tires	**25X10-12**	6	DOT	TL	8	635	235	7	420	—	360
FR43A	FR43A Atv Mud tires	**25X11-12**	6	DOT	TL	7	635	260	14	455	—	330
FR43A	FR43A Atv Mud tires	**26X9-14**	6	DOT	TL	7	660	214	7	395	—	370
FR43A	FR43A Atv Mud tires	**26X11-14**	6	DOT	TL	7	670	250	7	465	—	310
FR43B	FR43B Four Wheeler Tires For Sale	**25X8-12**	4	DOT	TL	7	630	200	5	290	—	440
FR43B	FR43B Four Wheeler Tires For Sale	**25X10-12**	4	DOT	TL	7	640	232	5	365	—	360
FR44	FR44 utv tires	**16X8-7**	4	DOT	TL	5.5	400	200	14	156	—	1050
FR44	FR44 utv tires	**19X7-8**	4	DOT E4	TL	5.5	473	173	14	143	—	900
FR44	FR44 utv tires	**18X9.5-8**	4	DOT E4	TL	7	453	220	14	254	—	770
FR45	FR45 25x10x12 atv tires	**22X7-10**	4	DOT E4	TL	5.5 6.0	535	181	14	377	—	670
FR45	FR45 25x10x12 atv tires	**22X8-10**	4	DOT E4	TL	5.5 6.0	535	181	14	377	—	670
FR45	FR45 25x10x12 atv tires	**22X10-10**	4	DOT E4	TL	8	558	248	14	471	—	450
FR45	FR45 25x10x12 atv tires	**22X11-10**	4	DOT E4	TL	8	554	250	14	385	—	450
FR45	FR45 25x10x12 atv tires	**22X11-10**	6	DOT	TL	8	559	260	21	787	—	430
FR45	FR45 25x10x12 atv tires	**25X8-12**	4	DOT E4	TL	7	630	200	14	344	—	440
FR45	FR45 25x10x12 atv tires	**25X8-12**	6	DOT E4	TL	6.0 7.0	633	205	30.8	1640	—	420
FR45	FR45 25x10x12 atv tires	**25X10-12**	4	DOT E4	TL	7.0 8.0	635	250	14	423	—	340
FR45	FR45 25x10x12 atv tires	**25X10-12**	6	DOT E4	TL	7.0 8.0	635	250	30.8	1760	—	340
FR45A	FR45A ATV/UTV Sport Tires	**22X7-10**	4	—	TL	5.5	540	178	24	/	—	—
FR45A	FR45A ATV/UTV Sport Tires	**22X8-10**	4	—	TL	5.5	540	203	24	/	—	—
FR45A	FR45A ATV/UTV Sport Tires	**22X10-10**	4	—	TL	8	559	254	24	375	—	—
FR45A	FR45A ATV/UTV Sport Tires	**22X11-10**	4	—	TL	8	559	279	36	787	—	—
FR45A	FR45A ATV/UTV Sport Tires	**23X7-10**	4	—	TL	5.5	584	178	24	264	—	—
FR46	FR46 Utv Mud Tires	**20X10-10**	4	DOT	TL	7	508	235	12	815	—	570
FR46	FR46 Utv Mud Tires	**23X10-12**	4	DOT	TL	7	580	236	23	977	—	440
FR46	FR46 Utv Mud Tires	**25X10-12**	4	DOT	TL	8	635	252	24	1180	—	340
FR46	FR46 Utv Mud Tires	**23X10-14**	4	DOT	TL	7	577	226	12	909	—	460
FR46	FR46 Utv Mud Tires	**25X10-14**	6	DOT	TL	8	635	252	24	1120	—	340
FR46A	FR46A atv street tires	**25X8-12**	4	DOT	TL	7	635	203	14	344	—	420
FR46A	FR46A atv street tires	**25X8-12**	6	DOT E4	TL	7	650	198	30.8	1640	—	410

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FR46A	FR46A atv street tires	**25X10-12**	4	DOT	TL	8	635	232	14	423	—	370
FR46A	FR46A atv street tires	**25X10-12**	6	DOT E4	TL	8	650	227	30.8	1760	—	360
FR46B	FR46B 25X10-12 TIRE	**24X11-10**	4	—	TL	8.5	609	279	32	/	—	—
FR46B	FR46B 25X10-12 TIRE	**25X8-12**	6	—	TL	6.5	635	203	34	340	—	—
FR46B	FR46B 25X10-12 TIRE	**25X10-12**	6	—	TL	8.5	635	254	34	420	—	—
FR46D	FR46D atv & utv tires from china	**145/70-6**	4	DOT	TL	4.0 4.5	355	140	14	143	—	1950
FR46D	FR46D atv & utv tires from china	**16X8-7**	4	DOT	TL	4.5 5.5	406	165	14	156	—	1250
FR46D	FR46D atv & utv tires from china	**16X6-8**	4	DOT	TL	3.75	405	145	24	505	—	1450
FR46D	FR46D atv & utv tires from china	**16X7-8**	4	DOT	TL	5.5	393	176	24	595	—	1250
FR46D	FR46D atv & utv tires from china	**17X7-8**	4	DOT	TL	5.5	423	168	24	635	—	1150
FR46D	FR46D atv & utv tires from china	**18X9.5-8**	4	DOT	TL	7	470	214	14	253	—	740
FR46D	FR46D atv & utv tires from china	**19X7-8**	4	DOT E4	TL	5.5	482	168	14	143	—	890
FR46D	FR46D atv & utv tires from china	**19X9.5-8**	4	DOT E4	TL	7	470	214	14	253	—	740
FR46D	FR46D atv & utv tires from china	**20X10-10**	4	DOT E4	TL	7.0 8.0	510	240	14	185	—	560
FR46D	FR46D atv & utv tires from china	**21X10-10**	4	DOT	TL	7.0 8.0	510	240	14	411	—	560
FR46D	FR46D atv & utv tires from china	**21X7-10**	4	DOT E4	TL	5.5	529	175	14	311	—	710
FR46D	FR46D atv & utv tires from china	**21X8-10**	4	DOT E4	TL	6.5	529	187	14	221	—	660
FR46D	FR46D atv & utv tires from china	**22X10-10**	4	DOT E4	TL	8	558	237	14	471	—	470
FR46D	FR46D atv & utv tires from china	**23X7-10**	4	DOT E4	TL	5.5	575	170	14	276	—	620
FR47	FR47 All Terrain Atv Tires	**24X9-11**	4	DOT E4	TL	7	609	228	14	484	—	410
FR47	FR47 All Terrain Atv Tires	**24X8-12**	4	DOT E4	TL	6.5	600	204	14	420	—	470
FR48	FR48 Atv Mud Tires	**25X8-12**	8	DOT	TL	6	635	195	18	555	—	440
FR48	FR48 Atv Mud Tires	**25X10-12**	8	DOT	TL	7	635	254	18	1180	—	340
FR48	FR48 Atv Mud Tires	**26X11-12**	8	DOT	TL	6	660	248	18	820	—	320
FR48	FR48 Atv Mud Tires	**27X9-12**	8	DOT	TL	6	685	216	18	775	—	340
FR48	FR48 Atv Mud Tires	**27X11-12**	8	DOT	TL	7	685	270	18	845	—	270
FR48	FR48 Atv Mud Tires	**26X9-14**	8	DOT	TL	6.0 7.0	660	220	18	610	—	360
FR48	FR48 Atv Mud Tires	**26X11-14**	8	DOT	TL	7.5	660	250	18	750	—	320
FR48	FR48 Atv Mud Tires	**27X9-14**	6	DOT E4	TL	7	680	230	30	1430	—	320
FR48	FR48 Atv Mud Tires	**27X9-14**	8	DOT	TL	7	680	230	18	680	—	320
FR48	FR48 Atv Mud Tires	**27X11-14**	6	DOT E4	TL	8	690	265	30	1760	—	270
FR48	FR48 Atv Mud Tires	**27X11-14**	8	DOT	TL	8	680	265	18	820	—	280
FR48	FR48 Atv Mud Tires	**28X9-14**	6	DOT	TL	7	680	230	30	1430	—	320
FR48	FR48 Atv Mud Tires	**28X11-14**	6	DOT	TL	8	690	265	30	1760	—	270
FR48	FR48 Atv Mud Tires	**28.5X10-14**	6	DOT	TL	8	723	258	7	585	—	260
FR48	FR48 Atv Mud Tires	**28.5X12-14**	6	DOT	TL	8	723	298	7	585	—	220
FR48	FR48 Atv Mud Tires	**29X9-14**	6	DOT	TL	7	723	258	7	585	—	260
FR48	FR48 Atv Mud Tires	**29X11-14**	6	DOT	TL	8	723	298	7	585	—	220

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FR48	FR48 Atv Mud Tires	**30X10-14**	6	DOT	TL	7	762	234	7	585	—	260
FR48	FR48 Atv Mud Tires	**30X10-14**	8	DOT	TL	7	762	234	30	910	—	260
FR48	FR48 Atv Mud Tires	**30X12-14**	6	DOT	TL	8	768	277	7	585	—	210
FR48A	FR48A Big Horn ATV TIRES	**4.1-6**	2	—	TL	325	320	104	20	290	—	—
FR48A	FR48A Big Horn ATV TIRES	**13X5-6**	2	—	TL	3.25	330	127	20	290	—	—
FR48A	FR48A Big Horn ATV TIRES	**145/70-6**	4	—	TL	4.5	360	145	24	160	—	—
FR48A	FR48A Big Horn ATV TIRES	**16X8-7(200/55-7)**	4	—	TL	5.5	406	203	24	275	—	—
FR48A	FR48A Big Horn ATV TIRES	**16X6-8**	4	—	TL	5	406	152	24	160	—	—
FR48A	FR48A Big Horn ATV TIRES	**18X9.5-8**	4	—	TL	7	457	241	24	227	—	—
FR48A	FR48A Big Horn ATV TIRES	**19X7-8**	4	—	TL	5	483	178	24	176	—	—
FR48A	FR48A Big Horn ATV TIRES	**20X7-9**	4	—	TL	5.5	508	178	20	/	—	—
FR48A	FR48A Big Horn ATV TIRES	**20X10-9**	4	—	TL	7	508	254	20	/	—	—
FR48A	FR48A Big Horn ATV TIRES	**19X7-10**	4	—	TL	5	540	178	24	235	—	—
FR48A	FR48A Big Horn ATV TIRES	**21X7-10**	4	—	TL	5.5	533	178	36	254	—	—
FR48A	FR48A Big Horn ATV TIRES	**22X7-10**	4	—	TL	5.5	540	178	36	254	—	—
FR48A	FR48A Big Horn ATV TIRES	**22X10-10**	4	—	TL	8	540	254	24	374	—	—
FR48A	FR48A Big Horn ATV TIRES	**23X7-10**	4	—	TL	5.5	560	178	24	276	—	—
FR48A	FR48A Big Horn ATV TIRES	**23X8-12**	4	—	TL	7	584	203	20	/	—	—
FR48A	FR48A Big Horn ATV TIRES	**23X10-12**	4	—	TL	8	584	254	20	/	—	—
FR48A	FR48A Big Horn ATV TIRES	**24X8-12**	6	—	TL	6	635	200	36	308	—	—
FR48A	FR48A Big Horn ATV TIRES	**24X10-12**	6	—	TL	8	635	250	36	418	—	—
FR48A	FR48A Big Horn ATV TIRES	**25X8-12**	6	—	TL	6	635	203	36	308	—	—
FR48A	FR48A Big Horn ATV TIRES	**25X10-12**	6	—	TL	8	635	254	36	418	—	—
FR48A	FR48A Big Horn ATV TIRES	**26X9-12**	6	—	TL	7	660	229	28	/	—	—
FR48A	FR48A Big Horn ATV TIRES	**26X9-14**	6	—	TL	7	660	229	20	410	—	—
FR48A	FR48A Big Horn ATV TIRES	**26X11-14**	6	—	TL	7.5	660	250	20	/	—	—
FR48N	FR48N wheeler tires from china	**20X10-10**	4	DOT	TL	7	510	235	12	815	—	570
FR48N	FR48N wheeler tires from china	**22X10-10**	4	DOT	TL	8	558	242	14	468	—	460
FR48N	FR48N wheeler tires from china	**25X12-10**	6	DOT	TL	8	635	295	24	1235	—	290
FR48N	FR48N wheeler tires from china	**23X10-12**	4	DOT	TL	7	584	240	12	977	—	420
FR48N	FR48N wheeler tires from china	**25X10-12**	6	DOT	TL	7	635	254	24	1180	—	340
FR48N	FR48N wheeler tires from china	**23X10-14**	4	DOT	TL	7	584	230	12	909	—	440
FR48N	FR48N wheeler tires from china	**25X10-14**	6	DOT	TL	7	635	250	24	1120	—	340
FR49	FR49 utv tires	**32X10-14**	6	DOT	TL	7.0 8.0	810	260	7	585	—	200
FR50	FR50 four wheeler mud tires	**26.5X10-14**	6	DOT	TL	7	680	250	10	525	—	300
FR50	FR50 four wheeler mud tires	**28X10-14**	6	DOT	TL	7	718	250	10	515	—	270
FR50	FR50 four wheeler mud tires	**29.5X10-12**	6	DOT	TL	7	760	262	10	570	—	230
FR50	FR50 four wheeler mud tires	**29.5X12-14**	6	DOT	TL	7	760	260	10	570	—	230

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FR50	FR50 four wheeler mud tires	**30X10-14**	8	DOT	TL	7	760	260	18	960	—	230
FR50	FR50 four wheeler mud tires	**32X10-14**	8	DOT	TL	8	812	254	18	1040	—	208
FR50	FR50 four wheeler mud tires	**32X10-15**	8	DOT	TL	7	812	245	18	1080	—	210
FR50	FR50 four wheeler mud tires	**33X10-15**	6	DOT	TL	7	840	238	10	780	—	200
FR50	FR50 four wheeler mud tires	**34X10-15**	6	DOT	TL	7	863	255	18	1240	—	180
FR50	FR50 four wheeler mud tires	**32X10-16**	8	DOT	TL	7	812	250	18	1120	—	210
FR50	FR50 four wheeler mud tires	**34X10-16**	8	DOT	TL	7	863	250	18	1200	—	180
FR50	FR50 four wheeler mud tires	**34X10-18**	8	DOT	TL	8	863	254	18	1120	—	180
FR51	FR51 Four Wheeler Tires	**16X8-7**	2	DOT	TL	6.5	400	195	14	108	—	1100
FR51	FR51 Four Wheeler Tires	**18X9.5-8**	4	DOT E4	TL	7	455	228	14	254	—	740
FR51	FR51 Four Wheeler Tires	**19X7-8**	4	DOT E4	TL	5.5	483	177	14	143	—	840
FR51	FR51 Four Wheeler Tires	**21X7-8**	4	DOT	TL	5.5	530	177	14	377	—	700
FR51	FR51 Four Wheeler Tires	**20X9.5-8**	4	DOT	TL	7	500	230	14	420	—	600
FR52	FR52 utv tires	**18*11-8**	4	DOT	TL	8	508	214	14	377	—	630
FR52	FR52 utv tires	**18*9.5-8**	4	DOT	TL	8	457	235	14	254	—	710
FR52	FR52 utv tires	**20*10-8**	4	DOT	TL	8	508	214	14	377	—	630
FR52	FR52 utv tires	**20*11-8**	4	DOT	TL	8	508	214	14	377	—	630
FR52	FR52 utv tires	**21*10-8**	4	DOT	TL	8	508	214	14	377	—	630
FR52	FR52 utv tires	**20*10-9**	4	DOT	TL	8	510	250	14	457	—	530
FR52	FR52 utv tires	**20*11-9**	4	DOT	TL	9	508	270	14	457	—	500
FR52	FR52 utv tires	**20*10-10**	4	DOT	TL	8	512	275	14	411	—	480
FR52	FR52 utv tires	**20*11-10**	4	DOT	TL	8	512	275	14	511	—	480
FR52	FR52 utv tires	**21(22)*7-10**	4	DOT	TL	5.5	530	178	14	311	—	700
FR53	FR53 Quad Street Tires	**4.10/3.50-4**	6	DOT	TT	3	266	80	60	340	—	610
FR56	FR56 23x8-12 & 23x10-12 Off-Road ATV Tires	**23x8-12**	6	—	TL	7	584	203	30	300	—	—
FR56	FR56 23x8-12 & 23x10-12 Off-Road ATV Tires	**23x10-12**	6	—	TL	8	584	254	30	396	—	—
FR57	FR57 sport quad atv tires	**22x10-10**	4	—	TL	8	559	254	24	374	—	—
FR57	FR57 sport quad atv tires	**23x7-10**	4	—	TL	5.5	584	178	24	276	—	—
FR58	FR58 16x8-7 Off-Road ATV Tire	**16x8-7**	4	—	TL	5.5	410	160	24	160	—	—
FR60	FR60 ATV/UTV Off-Road Tire - 22x10-10 / 23x7-10	**22X10-10**	4	—	TL	8	559	254	24	374	—	—
FR60	FR60 ATV/UTV Off-Road Tire - 22x10-10 / 23x7-10	**23X7-10**	4	—	TL	5.5	584	178	24	276	—	—
FR61	FR61 High-Traction ATV/UTV Knobby Tire | 145/70-6, 20x10-9, 20x7-10	**145/70-6**	4	—	TL	4.5	355	145	24	1600	—	—
FR61	FR61 High-Traction ATV/UTV Knobby Tire | 145/70-6, 20x10-9, 20x7-10	**20x10-9**	4	—	TL	8	508	254	36	260	—	—
FR61	FR61 High-Traction ATV/UTV Knobby Tire | 145/70-6, 20x10-9, 20x7-10	**20x7-10**	4	—	TL	5.5	508	178	36	/	—	—
FR62	FR62 ATV Wheel 16x6-8 / 16x7-8	**16x6-8**	4	—	TL	5	406	152	24	160	—	—
FR62	FR62 ATV Wheel 16x6-8 / 16x7-8	**16x7-8**	4	—	TL	5	406	178	24	160	—	—

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FR63	FR63 Heavy Duty ATV / Go-Kart Tire - 14x4.1-6 / 14x5-6	**14x4.1-6**	4	—	TL	3.5	356	104	10	160	—	—
FR63	FR63 Heavy Duty ATV / Go-Kart Tire - 14x4.1-6 / 14x5-6	**14x5-6**	4	—	TL	3.5	356	127	10	160	—	—
FR64	FR64 Go-Kart / Mini Bike Tire and Wheel Assembly - 14x4.1-6 / 15x5-6	**14x4.1-6**	4	—	TL	3.5	330	104	24	/	—	—
FR64	FR64 Go-Kart / Mini Bike Tire and Wheel Assembly - 14x4.1-6 / 15x5-6	**15X5-6**	2	—	TL	4.5	370	125	20	/	—	—
FR65	FR65 Off-Road ATV Tire | 21X7-10, 20X10-10	**21X7-10**	4	—	TL	5.5	533	178	36	254	—	—
FR65	FR65 Off-Road ATV Tire | 21X7-10, 20X10-10	**20X10-10**	4	—	TL	5.5	540	178	36	254	—	—
FR66	FR66 13x5-6 Go-Kart Tire	**13x5-6**	2	—	TL	3.5	330	127	20	/	—	—
FR67	FR67 Off-Road Knobby Tire & Rim | 14X4.1-6 & 14X5-6	**14X4.1-6**	4	—	TL	3	356	104	24	230	—	—
FR67	FR67 Off-Road Knobby Tire & Rim | 14X4.1-6 & 14X5-6	**14X5-6**	4	—	TL	3.5	356	127	24	308	—	—
FR68	FR68 Heavy-Duty Off-Road ATV/UTV Tire | 25X8-12, 25X10-12 & 25X11-12	**25X8-12**	6	—	TL	6.5	635	203	24	290	—	—
FR68	FR68 Heavy-Duty Off-Road ATV/UTV Tire | 25X8-12, 25X10-12 & 25X11-12	**25X10-12**	6	—	TL	8	635	254	24	365	—	—
FR68	FR68 Heavy-Duty Off-Road ATV/UTV Tire | 25X8-12, 25X10-12 & 25X11-12	**25X11-12**	6	—	TL	8	635	279	24	365	—	—
FR69	FR69 All-Terrain ATV/UTV Knobby Tire	**18X7-8**	4	—	TL	5.5	460	165	24	/	—	—
FR69	FR69 All-Terrain ATV/UTV Knobby Tire	**18X9.5-8**	4	—	TL	7	457	241	24	253	—	—
FR69	FR69 All-Terrain ATV/UTV Knobby Tire	**19X7-8**	4	—	TL	5.5	483	178	24	220	—	—
FR69	FR69 All-Terrain ATV/UTV Knobby Tire	**19X7-8**	4	—	TL	8	483	178	24	253	—	—
FR69	FR69 All-Terrain ATV/UTV Knobby Tire	**20X9.5-8**	4	—	TL	8	508	241	24	220	—	—
FR69	FR69 All-Terrain ATV/UTV Knobby Tire	**21X7-8**	4	—	TL	5.5	533	178	24	220	—	—
FR70	FR70 High-Traction Sport ATV/UTV Tire	**145/70-6**	4	—	TL	4.5	350	145	24	160	—	—
FR70	FR70 High-Traction Sport ATV/UTV Tire	**16X8-7(200/55-7■**	4	—	TL	5.5	410	160	24	160	—	—
FR70	FR70 High-Traction Sport ATV/UTV Tire	**16X7-8**	4	—	TL	8	406	178	24	/	—	—
FR70	FR70 High-Traction Sport ATV/UTV Tire	**17X7-8**	4	—	TL	5.5	432	178	24	220	—	—
FR70	FR70 High-Traction Sport ATV/UTV Tire	**18X9.5-8**	4	—	TL	8	457	241	24	253	—	—
FR70	FR70 High-Traction Sport ATV/UTV Tire	**19X7-8**	4	—	TL	5.5	483	178	24	253	—	—
FR70	FR70 High-Traction Sport ATV/UTV Tire	**20X10-10**	4	—	TL	8	508	254	36	221	—	—
FR70	FR70 High-Traction Sport ATV/UTV Tire	**21X7-10**	4	—	TL	5.5	533	178	36	254	—	—
FR70	FR70 High-Traction Sport ATV/UTV Tire	**22X10-10**	4	—	TL	8.5	559	254	21	/	—	—
FR71	FR71 Directional V-Tread ATV/Go-Kart Tire | 145/70-6, 16X8-7	**145/7-6**	4	—	TL	4.5	350	145	24	160	—	—
FR71	FR71 Directional V-Tread ATV/Go-Kart Tire | 145/70-6, 16X8-7	**16X8-7(200/55-7■**	4	—	TL	5.5	406	203	24	160	—	—
FR72	FR72 All-Terrain Off-Road Knobby Tire	**19X7-8**	2	—	TL	5.5	483	178	14	143	—	—
FR72	FR72 All-Terrain Off-Road Knobby Tire	**20X10-10**	4	—	TL	8	508	254	24	353	—	—
FR72	FR72 All-Terrain Off-Road Knobby Tire	**21X7-10**	4	—	TL	5.5	533	178	24	220	—	—

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FR72	FR72 All-Terrain Off-Road Knobby Tire	**22X10-10**	4	—	TL	8	559	254	24	385	—	—
FR72	FR72 All-Terrain Off-Road Knobby Tire	**22X11-10**	6	—	TL	8	559	279	36	1100	—	—
FR72	FR72 All-Terrain Off-Road Knobby Tire	**23X7-10**	4	—	TL	5.5	584	178	24	264	—	—
FR73	FR73 All-Terrain Knobby Tire	**145/70-6**	4	—	TL	4.5	350	145	24	160	—	—
FR73	FR73 All-Terrain Knobby Tire	**16X8-7■200/55-7■**	4	—	TL	8	406	203	24	160	—	—
FR73	FR73 All-Terrain Knobby Tire	**19X7-8**	4	—	TL	5.5	483	178	21	651	—	—
FR73	FR73 All-Terrain Knobby Tire	**22X11-8**	6	—	TL	9	559	279	24	396	—	—
FR73	FR73 All-Terrain Knobby Tire	**25X12-9**	4	—	TL	10	635	254	36	580	—	—
FR74	FR74 Sport Performance ATV Tire - 20x10-9	**20X10-9**	6	—	TL	8	508	254	36	260	—	—
FRS101	FRS101 Dot Utv Tires	**21X7-10**	4	DOT	TL	6	533	177	16	331	—	690
FRS101	FRS101 Dot Utv Tires	**180/80-14**	6	DOT E4	TT	4.5	644	179	33	937	—	470
FRS101	FRS101 Dot Utv Tires	**130/80-18**	6	DOT E4	TT	3	669	129	33	661	—	600
FY334	FY334	**110/100-18**	—	—	—	—	—	—	—	—	64 / P	—
FY334	FY334	**120/90-18**	—	—	—	—	—	—	—	—	65 / S	—
FY334	FY334	**120/100-18**	—	—	—	—	—	—	—	—	68 / S	—
FY334	FY334	**140/80-18**	—	—	—	—	—	—	—	—	70 / H	—

PRODUCT FAMILY 08

Golf cart

20 available product models · 61 specification lines. Search the online catalog by code or size at excelindustryltd.com/products/.

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FR20A	FR20A Knobby Golf Cart Tires	**16X8-7|(200/55-7■**	4	—	TL	5.5	406	203	24	160	—	—
FR20A	FR20A Knobby Golf Cart Tires	**18X9.5-8(240/50-8)**	4	—	TL	6.5	457	241	24	253	—	—
FR20A	FR20A Knobby Golf Cart Tires	**19X7-8**	4	—	TL	5	483	178	24	/	—	—
FR26	FR26 Golf cart tyres	**13X6.5-6**	4	DOT	TL	4	320	140	28	460	—	2400
FR26	FR26 Golf cart tyres	**18X6.5-8**	4	DOT	TL	3.75	440	157	28	770	—	1150
FR26	FR26 Golf cart tyres	**18X8.5-8**	6	DOT	TL	7	452	210	39	1045	—	810
FR26	FR26 Golf cart tyres	**20.5X8-10**	6	DOT	TL	7	510	188	56	880	—	710
FR26B	FR26B Golf Cart Tires 18X8.5-8	**18X8.5-8**	4	DOT	TL	7	450	215	22	815	—	800
FR26B	FR26B Golf Cart Tires 18X8.5-8	**18X8.5-8**	6	DOT	TL	7	450	215	24	1050	—	800
FR27	FR27 Cart Tyres Fromc China	**15x6.00-6**	2	DOT	TL	4	364	152	14	22	—	1700
FR28	FR28 Golf Cart Tires From China	**145/70-6**	2	DOT	TL	4	351	136	14	143	—	2000
FR29	FR29 Golf Buggy Tyres	**205/50-10**	4	DOT	TL	6	459	180	14	665	—	920
FR29	FR29 Golf Buggy Tyres	**205/50-10**	6	DOT	TL	6	469	186	30	665	—	850
FR29	FR29 Golf Buggy Tyres	**215/35-12**	4	DOT	TL	7	480	200	30	665	—	750
FR29	FR29 Golf Buggy Tyres	**225/35-12**	4	DOT	TL	7	480	200	30	665	—	750

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FR29	FR29 Golf Buggy Tyres	**225/30-14**	4	DOT	TL	7	536	200	25	396	—	600
FR29A	FR29A Golf Cart Tires from China	**225/30-14**	4	DOT	TL	7	525	208	12	396	—	610
FR29B	FR29B Club Car Tires from china	**215/35-12**	4	DOT	TL	6.0 7.0	478	192	28	665	—	790
FR29B	FR29B Club Car Tires from china	**225/30-14**	4	—	TL	6.0 7.0	525	205	20	396	—	610
FR29C	FR29C low profile golf cart tires	**215/35-12**	4	DOT	TL	6.0 7.0	475	192	30	665	—	800
FR29D	FR29D golf cart tyres for sale	**205/50-10**	4	DOT	TL	6.5	466	206	12	930	—	780
FR29E	FR29E Comfortride Golf Cart Tires	**205/50-10**	6	—	TL	6	465	205	30	665	—	—
FR29E	FR29E Comfortride Golf Cart Tires	**21540-12**	6	—	TL	7	476	215	55	760	—	—
FR29E	FR29E Comfortride Golf Cart Tires	**225/40-12**	6	—	TL	7	485	225	55	909	—	—
FR29E	FR29E Comfortride Golf Cart Tires	**225/55-12**	6	—	TL	7	505	225	22	600	—	—
FR29E	FR29E Comfortride Golf Cart Tires	**23X10.5-14**	4	—	TL	8	584	267	12	909	—	—
FR30	FR30 Golf Cart Tires and Wheels	**13X5.00-6**	2	DOT	TL	3.5	314	116	20	295	—	3000
FR30	FR30 Golf Cart Tires and Wheels	**15X6.00-6**	2	DOT	TL	3.5	376	148	14	365	—	1650
FR30	FR30 Golf Cart Tires and Wheels	**4.80/4.00-8**	2	DOT	TL	3.75	413	115	20	435	—	1750
FR30	FR30 Golf Cart Tires and Wheels	**16X6.5-8**	2	DOT	TL	5.5	400	160	14	415	—	1350
FR30	FR30 Golf Cart Tires and Wheels	**18X8.5-8**	2	DOT	TL	7	451	217	10	515	—	780
FR30	FR30 Golf Cart Tires and Wheels	**18X9.5-8**	2	DOT	TL	7.0 8.0	460	217	24	1040	—	760
FR30	FR30 Golf Cart Tires and Wheels	**20X8.00-8**	2	DOT	TL	7	490	215	10	600	—	650
FR30	FR30 Golf Cart Tires and Wheels	**20X10.00-8**	2	DOT	TL	7	495	236	10	750	—	600
FR30	FR30 Golf Cart Tires and Wheels	**22X11-10**	4	DOT	TL	8	535	265	22	1480	—	460
FR30	FR30 Golf Cart Tires and Wheels	**23X9.5-12**	2	DOT	TL	7	580	240	12	920	—	430
FR30	FR30 Golf Cart Tires and Wheels	**23X10.5-12**	4	DOT	TL	7	590	245	20	1340	—	410
FR30	FR30 Golf Cart Tires and Wheels	**23X10.5-12**	6	DOT	TL	7.0 8.0	585	230	20	1340	—	440
FR31	FR31 Reliable Golf Cart Mud Tires	**18*7-7**	4	DOT E4	TL	5.5	450	176	14	253	—	980
FR32	FR32 Golf Cart Street Tires	**18.5x8.5-8**	6	DOT	TL	7	475	215	50	940	—	720
FR32	FR32 Golf Cart Street Tires	**20.5x8-10**	6	DOT	TL	6.0 7.0	520	205	50	1105	—	630
FR32	FR32 Golf Cart Street Tires	**20.5x8-10**	10	DOT	TL	6.0 7.0	525	220	90	1535	—	550
FR33	FR33 Club Car Golf Cart Tires	**13x5.00-6**	2	DOT	TL	3.5	325	117	20	295	—	2830
FR33	FR33 Club Car Golf Cart Tires	**13x5.00-6**	4	DOT	TL	4.5	340	125	40	440	—	2420
FR33	FR33 Club Car Golf Cart Tires	**13x6.5-6**	4	DOT	TL	4	340	160	28	460	—	1850
FR33	FR33 Club Car Golf Cart Tires	**15x6.00-6**	2	DOT	TL	3.5 4.5	367	146	14	365	—	1750
FR33	FR33 Club Car Golf Cart Tires	**15x6.00-6**	4	DOT	TL	3.5 4.5	367	146	30	570	—	1750
FR33	FR33 Club Car Golf Cart Tires	**4.80-8**	4	DOT	TL	3.75	412	130	60	590	—	1550
FR33	FR33 Club Car Golf Cart Tires	**16x6.5-8**	2	DOT	TL	5.5	394	163	14	415	—	1380
FR33	FR33 Club Car Golf Cart Tires	**16x6.5-8**	4	DOT	TL	5.5	410	165	28	620	—	1250
FR33	FR33 Club Car Golf Cart Tires	**20x8.00-8**	2	DOT	TL	7	494	212	10	600	—	670
FR33B	FR33B Yamaha Golf Cart Tires	**13X5.00-6**	2	DOT	TL	3.5	297	118	14	310	—	3350
FR40E	FR40E Replacement Trailer Wheel	**20.5X10.5-12**	4	—	TL	8	521	267	12	909	—	—

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FR40E	FR40E Replacement Trailer Wheel	**22X11-10**	4	—	TL	7	559	279	36	1026	—	—
FR40E	FR40E Replacement Trailer Wheel	**23X8-12**	4	—	TL	6.5	584	203	22	770	—	—
FR40E	FR40E Replacement Trailer Wheel	**23X10.5-12**	4	—	TL	7	584	267	36	977	—	—
FR40E	FR40E Replacement Trailer Wheel	**23X10.5-14**	4	—	TL	7	584	254	36	909	—	—
FR54	FR54 Off Road Golf Cart Tires 16X6.50-8	**16x7.5-8**	4	DOT	TL	5.5	392	183	2	680	—	1240
FR55	FR55 All Terrain Golf Cart Tires	**23X10-14**	4	—	TL	7	584	254	20	990	—	—
FR59	FR59 18x7-8 & 20.5x8-10 Turf Golf Cart Tires	**18X7-8**	4	—	TL	5.5	457	178	22	/	—	—
FR59	FR59 18x7-8 & 20.5x8-10 Turf Golf Cart Tires	**20.5X8-10**	4	—	TL	6	521	203	24	330	—	—

PRODUCT FAMILY 09

Lawn & garden

8 available product models · 15 specification lines. Search the online catalog by code or size at excelindustryltd.com/products/.

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FR07	FR07 lawn tires 4.00-4	**4.00-4**	4	DOT	TT	3	294	88	60	330	—	4600
FR08	FR08 lawn mower tire	**4.10/3.50-4**	2	DOT	TL	3	256	92	24	230	—	5800
FR08	FR08 lawn mower tire	**4.10/3.50-5**	2	DOT	TL	3	280	92	24	260	—	4800
FR08	FR08 lawn mower tire	**4.10/3.50-6**	2	DOT	TL	3.3	317	102	24	290	—	3400
FR09	FR09 Mower Tires From China	**3.00-4**	6	DOT	TT	2.5	254	78	30	330	—	6900
FR09	FR09 Mower Tires From China	**8X3.00-4**	6	DOT	TT	2.5	205	76	30	125	—	10500
FR09	FR09 Mower Tires From China	**11X4.00-5**	4	DOT	TL	3	270	105	46	325	—	4500
FR09	FR09 Mower Tires From China	**11X6.00-5**	4	DOT	TL	3	282	126	42	450	—	3400
FR09	FR09 Mower Tires From China	**13X5.00-6**	4	DOT	TL	3.5	315	120	40	440	—	2900
FR10	FR10 lawn tractor tires	**4.10/3.50-4**	4	DOT	TT	2.5	263	82	50	350	—	6100
FR11	FR11 lawn and garden tires 10X4.00-6	**10X4.00-6**	4	DOT	TL	3.5	280	94	30	230	—	4700
FR12	FR12 riding lawn mower tires 85/65-6.5	**85/65-6.5**	2	DOT	TL	2.5	258	85	30	155	—	6100
FR13	FR13 Riding Mower Tires	**3.00-4**	4	DOT	TT	2.5	253	70	30	330	—	7800
FR13	FR13 Riding Mower Tires	**3.00-8**	4	DOT	TL	2.15	347	78	36	291	—	3700
FR14	FR14 Garden Tractor Tires 3.50-8	**3.50-8**	4	DOT	TL	2.5	386	92	36	375	—	2550

PRODUCT FAMILY 10

Trailer & utility

11 available product models · 37 specification lines. Search the online catalog by code or size at excelindustryltd.com/products/.

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FR15	FR15 4.80-8 trailer tires From China	**4.80-8**	4	DOT	TL	3.75	412	121	60	590	—	1700

CODE	PRODUCT	SIZE	PR	CERT.	TT/TL	RIM	OD MM	SW MM	PRESS. KPA	LOAD KG	LI / SR	PCS / 20FT
FR16	FR16 Boat Trailer Tire	**4.80-8**	4	DOT	TL	3.75	405	116	60	590	—	1820
FR16	FR16 Boat Trailer Tire	**4.80-8**	6	DOT	TL	3.75	405	116	90	745	—	1820
FR17	FR17 RV Camper Trailer Tires from China	**3.25-8**	4	DOT	TL	2.5	362	80	36	375	—	3300
FR17	FR17 RV Camper Trailer Tires from China	**4.80/4.00-8**	4	DOT	TL	2.9	391	114	60	590	—	2000
FR17	FR17 RV Camper Trailer Tires from China	**4.80/4.00-12**	4	DOT	TL	3.75	498	118	28	780	—	1150
FR18	FR18 Replacement Tire	**5.70-8**	6	DOT	TL	3.75 5.5	460	155	75	910	—	1050
FR18	FR18 Replacement Tire	**5.70-8**	8	DOT	TL	3.75 5.5	460	155	100	1075	—	1050
FR18	FR18 Replacement Tire	**4.80-12**	4	DOT	TL	3.75	515	125	60	780	—	1050
FR18	FR18 Replacement Tire	**4.80-12**	6	DOT	TL	3.75	515	125	90	990	—	1050
FR18	FR18 Replacement Tire	**5.30-12**	6	DOT	TL	4	552	142	80	1045	—	800
FR19	FR19 4.80/4.00-8 TRAILER TIRES	**4.80/4.00-8**	4	DOT	TL	3.75	427	120	60	585	—	1580
FR20	FR20 UTV/ATV TIRE	**16X8-7**	2	DOT	TL	4.5 5.5	406	172	14	156	—	1230
FR20	FR20 UTV/ATV TIRE	**19X7-8**	4	DOT	TL	5.5	482	168	14	143	—	890
FR20	FR20 UTV/ATV TIRE	**22X11-8(■■**	4	DOT	TL	8	522	245	14	396	—	520
FR20	FR20 UTV/ATV TIRE	**22X11-8(■■**	4	DOT	TL	8	584	221	14	396	—	460
FR20	FR20 UTV/ATV TIRE	**22X11-8(■■**	6	DOT	TL	8	587	221	20	505	—	460
FR20B	FR20B China Go Kart Tires	**3.00-4**	4	DOT	TL	3	265	85	40	375	—	5800
FR20B	FR20B China Go Kart Tires	**145/70-6**	2	DOT	TL	3.5	345	123	24	165	—	2300
FR20B	FR20B China Go Kart Tires	**18X9.5-8**	4	DOT	TL	7.0 5.5	459	215	14	254	—	770
FR20C	FR20C Atv Trailer Tires	**145/70-6**	2	DOT	TL	4	355	140	14	143	—	1960
FR20C	FR20C Atv Trailer Tires	**16X8-7**	2	DOT	TL	5.5	406	172	14	156	—	1220
FR20C	FR20C Atv Trailer Tires	**22X11-8**	2	DOT	TL	7	555	255	5	340	—	440
FR41	FR41 UTILITY TIRES from China	**20X7-8**	4	DOT E4	TL	5.5	485	175	14	276	—	850
FR41	FR41 UTILITY TIRES from China	**21X7-10**	4	DOT E4	TL	5.5	530	177	14	311	—	700
FR41	FR41 UTILITY TIRES from China	**21X8-10**	4	DOT E4	TL	6.5	530	200	14	221	—	620
FR41	FR41 UTILITY TIRES from China	**20X10-10**	4	DOT E4	TL	8	508	240	14	411	—	560
FR41	FR41 UTILITY TIRES from China	**22X10-10**	4	DOT E4	TL	7.0 8.0	558	237	14	471	—	470
FR41	FR41 UTILITY TIRES from China	**22X9.5-12**	4	DOT E4	TL	7.0 8.0	558	216	20	992	—	520
FR41	FR41 UTILITY TIRES from China	**22X9.5-12**	6	DOT E4	TL	7.0 8.0	558	225	32	1168	—	490
FR41	FR41 UTILITY TIRES from China	**25X8-12**	4	DOT E4	TL	6.5 7.0	635	200	14	344	—	430
FR41	FR41 UTILITY TIRES from China	**25X8-12**	6	DOT E4	TL	6.5 7.0	635	200	30.8	1640	—	430
FR41	FR41 UTILITY TIRES from China	**25X10-12**	4	DOT E4	TL	8	620	260	14	423	—	350
FR41	FR41 UTILITY TIRES from China	**25X10-12**	6	DOT E4	TL	8	635	265	30.8	1760	—	320
FR41B	FR41B Utv Street tires	**20X7-8**	4	DOT	TL	5.5	500	177	14	377	—	790
FR41B	FR41B Utv Street tires	**22X10-10**	4	DOT	TL	8	558	237	14	471	—	470
FR41C	FR41C 235/30-10 TIRE	**235/30-10**	4	—	TL	8	350	235	35	/	—	—

RFQ confirmation: send destination market, requested models/sizes, quantities, required markings, packing preference and target shipment date. Standard MOQ is 100 tires per individual model; OEM projects start at 300 tires per individual model; typical production lead time is about 30 days after order and specification confirmation.